Journal of Biomedical Materials Research
Author Index—Volume 74A

Ahmed, S. See Nakaoka, R., 181
Aita, H. See Butz, F., 164
Ajayan, P. M. See MacDonald, R. A., 489
Akiyama, J. See Hiragami, F., 705
Ameringer, T. See Groll, J., 607
Anderson, J. M. See Brodbeck, W. G., 222; Christenson, E. M., 141; MacEwan, M. R., 285
Anderson, S. See Hallab, N. J., 124
Arana-Chavez, V. E. See Imbronito, A. V., 215
Atkinson, B. L. See Hole, B. B., 712
Avcı, E. N. See Şen, M., 187

Babensee, J. E.
—; Paranjpe, A.: Differential levels of dendritic cell maturation on different biomaterials used in combination products, 503
Baharloo, B.
—; Textor, M.; Brunette, D. M.: Substratum roughness alters the growth, area, and focal adhesions of epithelial cells, and their proximity to titanium surfaces, 12
Bansal, G.
—; Wright, J. E. I.; Zhang, S.; Zernicke, R. F.; Uludag, H.: Imparting mineral affinity to proteins with thiol–labile disulfide linkages, 618
Barbosa, M. A. See Barrias, C. C., 545
Barbu, E.
—; Sarvaiya, I.; Green, K. L.; Nevell, T. G.; Tsibouklis, J.: Vinylpyrrolidone-*co*-(meth)acrylic acid inserts for ocular drug delivery: Synthesis and evaluation, 598
Barrias, C. C.
—; Lamghari, M.; Granja, P. L.; Sá Miranda, M. C.; Barbosa, M. A.: Biological evaluation of calcium alginate microspheres as a vehicle for the localized delivery of a therapeutic enzyme, 545
Bergseth, G. See Lappegård, K. T., 230
Bero, M. See Czajkowska, B., 591
Best, S. M. See Lynn, A. K., 447
Beygui, R. E. See Brown, D. A., 419
Biaggio, S. R. See Oliveira, N. T. C., 397
Bide, M. J. See Phaneuf, M. D., 666
Bocchi, N. See Oliveira, N. T. C., 397
Bonfield, W. See Lynn, A. K., 447
Borgioli, F. See Martinesi, M., 197
Boyan, B. D. See Zhao, G., 49
Brasher, A. See Hallab, N. J., 124
Bremmell, K. E. See Zhang, H., 59
Brenner, R. E. See Groll, J., 607
Brodbeck, W. G. See MacEwan, M. R., 285
—; MacEwan, M.; Colton, E.; Meyerson, H.; Anderson, J. M.: Lymphocytes and the foreign body response: Lymphocyte enhancement of macrophage adhesion and fusion, 222
Brown, D. A.
—; Beygui, R. E.; MacLellan, W. R.; Laks, H.; Dunn, J. C. Y.; Wu, B. M.: Modulation of gene expression in neonatal rat cardiomyocytes by surface modification of polylactide-*co*-glycolide substrates, 419
Brown, R. Q.
—; Mount, A.; Burg, K. J. L.: Evaluation of polymer scaffolds to be used in a composite injectable system for intervertebral disc tissue engineering, 32
Brunette, D. M. See Baharloo, B., 12
Bruni, S. See Martinesi, M., 197
Buchanan, R. A. See Morrison, M. L., 430
Burg, K. J. L. See Brown, R. Q., 32
Butz, F.
—; Aita, H.; Takeuchi, K.; Ogawa, T.: Enhanced mineralized tissue adhesion to titanium over polystyrene assessed by the nano-scratch test, 164

Calcedo, M. See Hallab, N. J., 124
Cameron, R. E. See Lynn, A. K., 447
Check, J.
—; Karuppiah, K. S. K.; Sundararajan, S.: Comparison of the effect of surface roughness on the micro/nanotribological behavior of ultra-high-molecular-weight polyethylene (UHMWPE) in air and bovine serum solution, 687
Chen, M.-H.
—; Hsu, Y.-H.; Lin, C.-P.; Chen, Y.-J.; Young, T.-H.: Interactions of acinar cells on biomaterials with various surface properties, 254
Chen, S. See Liu, L., 23
Chen, T.-H. See Ma, H.-L., 439
Chen, Y.-J. See Chen, M.-H., 254
Choi, N. G. See Kim, H. J., 366
Choi, S.-H. See Moon, H.-J., 497
Christenson, E. M.
—; Dadsetan, M.; Anderson, J. M.; Hiltner, A.: Biostability and macrophage-mediated foreign body reaction of silicone-modified polyurethanes, 141
Chu, P. K. See Liu, X., 356
Chung, C.-P. See Park, B. S., 640
Cochran, D. L. See Zhao, G., 49
Colton, E. See Brodbeck, W. G., 222
Contreras, M. A. See Phaneuf, M. D., 666
Cooper, S. L. See Veleva, A. N., 117
Cutshall, C. See DuBose, J. W., 104
Czajkowska, B.
—; Dobrzynski, P.; Bero, M.: Interaction of cells with L-lactide/glycolide copolymers synthesized with the use of tin or zirconium compounds, 591

Dadsetan, M. See Christenson, E. M., 141
Datta, N. See Holtorf, H. L., 171
Dean, D. D. See Kim, H. J., 366
Dias, A. G.
—; Lopes, M. A.; Trigo Cabral, A. T.; Santos, J. D.; Fernandes, M. H.: *In vitro* studies of calcium phosphate glass ceramics with

Journal of Biomedical Materials Research
Author Index—Volume 74A

Ahmed, S. See Nakaoka, R., 181
Aita, H. See Butz, F., 164
Ajayan, P. M. See MacDonald, R. A., 489
Akiyama, J. See Hiragami, F., 705
Ameringer, T. See Groll, J., 607
Anderson, J. M. See Brodbeck, W. G., 222; Christenson, E. M., 141; MacEwan, M. R., 285
Anderson, S. See Hallab, N. J., 124
Arana-Chavez, V. E. See Imbronito, A. V., 215
Atkinson, B. L. See Hole, B. B., 712
Avcı, E. N. See Şen, M., 187

Babensee, J. E.
—; Paranjpe, A.: Differential levels of dendritic cell maturation on different biomaterials used in combination products, 503
Baharloo, B.
—; Textor, M.; Brunette, D. M.: Substratum roughness alters the growth, area, and focal adhesions of epithelial cells, and their proximity to titanium surfaces, 12
Bansal, G.
—; Wright, J. E. I.; Zhang, S.; Zernicke, R. F.; Uludag, H.: Imparting mineral affinity to proteins with thiol–labile disulfide linkages, 618
Barbosa, M. A. See Barrias, C. C., 545
Barbu, E.
—; Sarvaiya, I.; Green, K. L.; Nevell, T. G.; Tsibouklis, J.: Vinylpyrrolidone-*co*-(meth)acrylic acid inserts for ocular drug delivery: Synthesis and evaluation, 598
Barrias, C. C.
—; Lamghari, M.; Granja, P. L.; Sá Miranda, M. C.; Barbosa, M. A.: Biological evaluation of calcium alginate microspheres as a vehicle for the localized delivery of a therapeutic enzyme, 545
Bergseth, G. See Lappegård, K. T., 230
Bero, M. See Czajkowska, B., 591
Best, S. M. See Lynn, A. K., 447
Beygui, R. E. See Brown, D. A., 419
Biaggio, S. R. See Oliveira, N. T. C., 397
Bide, M. J. See Phaneuf, M. D., 666
Bocchi, N. See Oliveira, N. T. C., 397
Bonfield, W. See Lynn, A. K., 447
Borgioli, F. See Martinesi, M., 197
Boyan, B. D. See Zhao, G., 49
Brasher, A. See Hallab, N. J., 124
Bremmell, K. E. See Zhang, H., 59
Brenner, R. E. See Groll, J., 607
Brodbeck, W. G. See MacEwan, M. R., 285
—; MacEwan, M.; Colton, E.; Meyerson, H.; Anderson, J. M.: Lymphocytes and the foreign body response: Lymphocyte enhancement of macrophage adhesion and fusion, 222
Brown, D. A.
—; Beygui, R. E.; MacLellan, W. R.; Laks, H.; Dunn, J. C. Y.; Wu, B. M.: Modulation of gene expression in neonatal rat cardiomyocytes by surface modification of polylactide-*co*-glycolide substrates, 419
Brown, R. Q.
—; Mount, A.; Burg, K. J. L.: Evaluation of polymer scaffolds to be used in a composite injectable system for intervertebral disc tissue engineering, 32
Brunette, D. M. See Baharloo, B., 12
Bruni, S. See Martinesi, M., 197
Buchanan, R. A. See Morrison, M. L., 430
Burg, K. J. L. See Brown, R. Q., 32
Butz, F.
—; Aita, H.; Takeuchi, K.; Ogawa, T.: Enhanced mineralized tissue adhesion to titanium over polystyrene assessed by the nano-scratch test, 164

Calcedo, M. See Hallab, N. J., 124
Cameron, R. E. See Lynn, A. K., 447
Check, J.
—; Karuppiah, K. S. K.; Sundararajan, S.: Comparison of the effect of surface roughness on the micro/nanotribological behavior of ultra-high-molecular-weight polyethylene (UHMWPE) in air and bovine serum solution, 687
Chen, M.-H.
—; Hsu, Y.-H.; Lin, C.-P.; Chen, Y.-J.; Young, T.-H.: Interactions of acinar cells on biomaterials with various surface properties, 254
Chen, S. See Liu, L., 23
Chen, T.-H. See Ma, H.-L., 439
Chen, Y.-J. See Chen, M.-H., 254
Choi, N. G. See Kim, H. J., 366
Choi, S.-H. See Moon, H.-J., 497
Christenson, E. M.
—; Dadsetan, M.; Anderson, J. M.; Hiltner, A.: Biostability and macrophage-mediated foreign body reaction of silicone-modified polyurethanes, 141
Chu, P. K. See Liu, X., 356
Chung, C.-P. See Park, B. S., 640
Cochran, D. L. See Zhao, G., 49
Colton, E. See Brodbeck, W. G., 222
Contreras, M. A. See Phaneuf, M. D., 666
Cooper, S. L. See Veleva, A. N., 117
Cutshall, C. See DuBose, J. W., 104
Czajkowska, B.
—; Dobrzynski, P.; Bero, M.: Interaction of cells with L-lactide/glycolide copolymers synthesized with the use of tin or zirconium compounds, 591

Dadsetan, M. See Christenson, E. M., 141
Datta, N. See Holtorf, H. L., 171
Dean, D. D. See Kim, H. J., 366
Dias, A. G.
—; Lopes, M. A.; Trigo Cabral, A. T.; Santos, J. D.; Fernandes, M. H.: *In vitro* studies of calcium phosphate glass ceramics with

different solubility with the use of human bone marrow cells, 347
Ding, C. See Liu, X., 356; Xue, W., 553
Dinh, D. B. See Kim, H. J., 366
Dobrzynski, P. See Czajkowska, B., 591
Donovan, D. See Kanjickal, D., 454
dos Santos, E. A.
—; Linhares, A. B. R.; Rossi, A. M.; Farina, M.; Soares, G. A.: Effects of surface undulations of biphasic calcium phosphate tablets on human osteoblast behavior, 315
DuBose, J. W.
—; Cutshall, C.; Metters, A. T.: Contolled release of tethered molecules via engineered hydrogel degradation: Model development and validation, 104
Dunn, J. C. Y. See Brown, D. A., 419

Endler, E. E.
—; Nealey, P. F.; Yin, J.: Fidelity of micropatterned cell cultures, 92
Engelhard, E. See Groll, J., 607
Evancho-Chapman, M. M. See Kanjickal, D., 454

Farina, M. See dos Santos, E. A., 315
Fernandes, M. H. See Dias, A. G., 347
Fiedler, J. See Groll, J., 607
Fleckman, P. See Knowles, N. G., 482
Froude, V. E. See Gobin, A. S., 465
Fu, H.
—; Hu, Y.; McNelis, T.; Hollinger, J. O.: A calcium phosphate-based gene delivery system, 40
Fu, Q.
—; Zhou, N.; Huang, W.; Wang, D.; Zhang, L.; Li, H.: Effects of nano HAP on biological and structural properties of glass bone cement, 156
Funakoshi, T.
—; Majima, T.; Iwasaki, N.; Yamane, S.; Masuko, T.; Minami, A.; Harada, K.; Tamura, H.; Tokura, S.; Nishimura, S.-I.: Novel chitosan-based hyaluronan hybrid polymer fibers as a scaffold in ligament tissue engineering, 338

Geis-Gerstorfer, J. See Zhao, G., 49
Gerhardt, R. A. See Shih, C.-C., 325
Giachelli, C. M. See Liu, L., 23
Gilbert, J. L. See Hole, B. B., 712
Gobin, A. S.
—; Froude, V. E.; Mathur, A. B.: Structural and mechanical characteristics of silk fibroin and chitosan blend scaffolds for tissue regeneration, 465
Gorbet, M. B.
—; Sefton, M. V.: Complement inhibition reduces material-induced leukocyte activation with PEG modified polystyrene beads (Tentagel™) but not polystyrene beads, 511
Grageda, E. See Whang, K., 247
Granja, P. L. See Barrias, C. C., 545
Green, B. A. See Morrison, M. L., 430
Green, K. L. See Barbu, E., 598
Groll, J.
—; Fiedler, J.; Engelhard, E.; Ameringer, T.; Tugulu, S.; Klok, H.-A.; Brenner, R. E.; Moeller, M.: A novel star PEG–derived surface coating for specific cell adhesion, 607

Hallab, N. J.
—; Anderson, S.; Caicedo, M.; Brasher, A.; Mikecz, K.; Jacobs, J. J.: Effects of soluble metals on human peri-implant cells, 124
Hannel, S. L. See Phaneuf, M. D., 666
Harada, K. See Funakoshi, T., 338
Hardin, R. R. See Kim, H. J., 366
Hasuda, H. See Ito, Y., 659
Hauch, K. D. See Knowles, N. G., 482
Häufel, J. M. See Laschke, M. W., 696
Hayakawa, S. See Isogai, N., 408
Hayashi, N. See Nagayasu, T., 374
Hedberg, E. L. See Ruhé, P. Q., 533
Heo, S. J. See Park, B. S., 640
Hiltner, A. See Christenson, E. M., 141
Hiragami, F.
—; Akiyama, J.; Koike, Y.; Kano, Y.: Enhancement of hydroxyapatite-mediated three-dimensional-like proliferation of mouse fibroblasts by heat treatment: Effects of heat shock-induced p38 MAPK pathway, 705
Ho, L. L.-T. See Ma, H.-L., 439
Hole, B. B.
—; Schwarz, J. A.; Gilbert, J. L.; Atkinson, B. L.: A study of biologically active peptide sequences (P-15) on the surface of an ABM scaffold (PepGen P-15™) using AFM and FTIR, 712
Hollinger, J. O. See Fu, H., 40
Holtorf, H. L.
—; Datta, N.; Jansen, J. A.; Mikos, A. G.: Scaffold mesh size affects the osteoblastic differentiation of seeded marrow stromal cells cultured in a flow perfusion bioreactor, 171
Horbett, T. A. See Kwak, D., 69; Wu, Y., 722
Horton, J. A. See Morrison, M. L., 430
Hsu, Y.-H. See Chen, M.-H., 254
Hu, Y. See Fu, H., 40
Huang, H.-H.
—; Surface characterizations and corrosion resistance of nickel–titanium orthodontic archwires in artificial saliva of various degrees of acidity, 629
Huang, W. See Fu, Q., 156
Hung, S.-C. See Ma, H.-L., 439

Ikada, Y. See Isogai, N., 408
Imbronito, A. V.
—; Scarano, A.; Orsini, G.; Piattelli, A.; Arana-Chavez, V. E.: Ultrastructure of bone healing in defects grafted with a copolymer of polylactic/polyglycolic acids, 215
Isogai, N.
—; Morotomi, T.; Hayakawa, S.; Munakata, H.; Tabata, Y.; Ikada, Y.; Kamiishi, H.: Combined chondrocyte–copolymer implantation with slow release of basic fibroblast growth factor for tissue engineering an auricular cartilage construct, 408
Ito, Y.
—; Hasuda, H.; Terai, H.; Kitajima, T.: Culture of human umbilical vein endothelial cells on immobilized vascular endothelial growth factor, 659
Iwasaki, N. See Funakoshi, T., 338

Jacobs, J. J. See Hallab, N. J., 124
Jansen, J. A. See Holtorf, H. L., 171; Leeuwenburgh, S., 275; Ruhé, P. Q., 533; Siebers, M. C., 570; Walboomers, X. F., 381
Jia, X. See Ren, T., 562
Jiang, S. See Liu, L., 23
Johnson, K. See Kim, H. J., 366

Kamei, K. See Nagayasu, T., 374
Kamiishi, H. See Isogai, N., 408
Kang, J. S. See Kim, S. Y., 581
Kanjickal, D.
—; Lopina, S.; Evancho-Chapman, M. M.; Schmidt, S.; Donovan, D.: Improving delivery of hydrophobic drugs from hydrogels through cyclodextrins, 454

Kano, Y. See Hiragami, F., 705
Kariya, Y. See Nagayasu, T., 374
Karuppiah, K. S. K. See Check, J., 687
Katayama, K. See Kato, R., 652
Kato, R.
—; Nakamura, S.; Katayama, K.; Yamashita, K.: Electrical polarization of plasma-spray–hydroxyapatite coatings for improvement of osteoconduction of implants, 652
Khan, A. See Whang, K., 237; Whang, K., 247
Khan, S. A. See Veleva, A. N., 117
Kim, C.-K. See Moon, H.-J., 497
Kim, C. S. See Park, B. S., 640
Kim, H.-E. See Kim, H.-W., 294
Kim, H. J.
—; Kim, S. H.; Kim, M. S.; Lee, E. J.; Oh, H. G.; Oh, W. M.; Park, S. W.; Kim, W. J.; Lee, G. J.; Choi, N. G.; Koh, J. T.; Dinh, D. B.; Hardin, R. R.; Johnson, K.; Sylvia, V. L.; Schmitz, J. P.; Dean, D. D.: Varying Ti-6Al-4V surface roughness induces different early morphologic and molecular responses in MG63 osteoblast-like cells, 366
Kim, H.-W.
—; Kim, H.-E.; Salih, V.; Knowles, J. C.: Sol-gel-modified titanium with hydroxyapatite thin films and effect on osteoblast-like cell responses, 294
Kim, J.-M. See Park, B. S., 640
Kim, K.-D. See Moon, H.-J., 497
Kim, K.-M. See Moon, H.-J., 497
Kim, K.-N. See Moon, H.-J., 497
Kim, M. S. See Kim, H. J., 366
Kim, S. H. See Kim, H. J., 366
Kim, S. Y.
—; Lee, Y. M.; Kang, J. S.: Indomethacin-loaded methoxy poly(ethylene glycol)/poly(D,L-lactide) amphiphilic diblock copolymeric nanospheres: Pharmacokinetic and toxicity studies in rodents, 581
Kim, W. J. See Kim, H. J., 366
King, J. A. See Wright-Charlesworth, D. D., 388
Kitajima, T. See Ito, Y., 659
Klok, H.-A. See Groll, J., 607
Knowles, J. C. See Kim, H.-W., 294
Knowles, N. G.
—; Miyashita, Y.; Usui, M. L.; Marshall, A. J.; Pirrone, A.; Hauch, K. D.; Ratner, B. D.; Underwood, R. A.; Fleckman, P.; Olerud, J. E.: A model for studying epithelial attachment and morphology at the interface between skin and percutaneous devices, 482
Koh, J. T. See Kim, H. J., 366
Koike, Y. See Hiragami, F., 705
Kong, H. See Meng, J., 208
Kruzic, J. J.
—; Kuskowski, S. J.; Ritchie, R. O.: Simple and accurate fracture toughness testing methods for pyrolytic carbon/graphite composites used in heart-valve prostheses, 461
Kuskowski, S. J. See Kruzic, J. J., 461
Kwak, D.
—; Wu, Y.; Horbett, T. A.: Fibrinogen and von Willebrand's factor adsorption are both required for platelet adhesion from sheared suspensions to polyethylene preadsorbed with blood plasma, 69

Labow, R. S. See McBane, J. E., 1
Laity, P. R. See Lynn, A. K., 447
Laks, H. See Brown, D. A., 419
Lamghari, M. See Barrias, C. C., 545
Lamme, E. N. See Wang, H., 523
Lappegård, K. T.
—; Bergseth, G.; Riesenfeld, J.; Sexton, J.; Mollnes, T. E.: Role of granulocytes and monocytes in the polyvinyl chloride-induced synthesis of interleukin 8, monocyte chemoattractant protein 1, and leukotriene B4, 230
Laschke, M. W.
—; Häufel, J. M.; Thorlacius, H.; Menger, M. D.: New experimental approach to study host tissue response to surgical mesh materials *in vivo*, 696
Laurenzi, B. F. See MacDonald, R. A., 489
Lawton, M. See Whang, K., 247
Lee, E. J. See Kim, H. J., 366
Lee, G. See Park, B. S., 640
Lee, G. J. See Kim, H. J., 366
Lee, Y.-K. See Moon, H.-J., 497
Lee, Y. M. See Kim, S. Y., 581
Leeuwenburgh, S.
—; Wolke, J.; Schoonman, J.; Jansen, J. A.: Influence of deposition parameters on chemical properties of calcium phosphate coatings prepared by using electrostatic spray deposition, 275
Leeuwenburgh, S. C. G. See Siebers, M. C., 570
LeGeros, R. Z. See Moon, H.-J., 497
Leon, R. V. See Morrison, M. L., 430
Lewis, J. B.
—; Wataha, J. C.; McCloud, V.; Lockwood, P. E.; Messer, R. L. W.; Tseng, W.-Y.: Au(III), Pd(II), Ni(II), and Hg(II) alter NFκB signaling in THP1 monocytic cells, 474
Li, H. See Fu, Q., 156
Li, X. See Wang, X., 263
Liaw, P. K. See Morrison, M. L., 430
Lin, C.-P. See Chen, M.-H., 254
Lin, S.-J. See Shih, C.-C., 325
Linhares, A. B. R. See dos Santos, E. A., 315
Liu, C. T. See Morrison, M. L., 430
Liu, L.
—; Chen, S.; Giachelli, C. M.; Ratner, B. D.; Jiang, S.: Controlling osteopontin orientation on surfaces to modulate endothelial cell adhesion, 23
Liu, X. See Xue, W., 553
—; Won, Y.; Ma, P. X.: Surface modification of interconnected porous scaffolds, 84
—; Xie, Y.; Ding, C.; Chu, P. K.: Early apatite deposition and osteoblast growth on plasma-sprayed dicalcium silicate coating, 356
Lockwood, P. E. See Lewis, J. B., 474
LoGerfo, F. W. See Phaneuf, M. D., 666
Loo, L. L. See Wright-Charlesworth, D. D., 306
Lopes, M. A,. See Dias, A. G., 347
López, H. F. See Saldívar-García, A. J., 269
Lopina, S. See Kanjickal, D., 454
Lynn, A. K.
—; Nakamura, T.; Patel, N.; Porter, A. E.; Renouf, A. C.; Laity, P. R.; Best, S. M.; Cameron, R. E.; Shimizu, Y.; Bonfield, W.: Composition-controlled nanocomposites of apatite and collagen incorporating silicon as an osseopromotive agent, 447

Ma, H.-L.
—; Chen, T.-H.; Ho, L. L.-T.; Hung, S.-C.: Neocartilage from human mesenchymal stem cells in alginate: Implied timing of transplantation, 439
Ma, P. X. See Liu, X., 84
MacDonald, R. A.
—; Laurenzi, B. F.; Viswanathan, G.; Ajayan, P. M.; Stegemann, J. P.: Collagen–carbon nanotube composite materials as scaffolds in tissue engineering, 489

MacEwan, M. See Brodbeck, W. G., 222
MacEwan, M. R.
—; Brodbeck, W. G.; Matsuda, T.; Anderson, J. M.: Monocyte/lymphocyte interactions and the foreign body response: *In vitro* effects of biomaterial surface chemistry, 285
MacLellan, W. R. See Brown, D. A., 419
Majima, T. See Funakoshi, T., 338
Marshall, A. J. See Knowles, N. G., 482
Martinesi, M.
—; Bruni, S.; Stio, M.; Treves, C.; Borgioli, F.: *In vitro* interaction between surface-treated Ti-6AI-4V titanium alloy and human peripheral blood mononuclear cells, 197
Masuko, T. See Funakoshi, T., 338
Mathur, A. B. See Gobin, A. S., 465
Matsuda, T. See MacEwan, M. R., 285
Matsuzaka, K. See Siebers, M. C., 570
McBane, J. E.
—; Santerre, J. P.; Labow, R. S.: Role of protein kinase C in the monocyte-derived macrophage-mediated biodegradation of polycarbonate-based polyurethanes, 1
McCloud, V. See Lewis, J. B., 474
McDonald, J. See Whang, K., 237; Whang, K., 247
McNelis, T. See Fu, H., 40
Meng, J.
—; Kong, H.; Xu, H. Y.; Song, L.; Wang, C. Y.; Xie, S. S.: Improving the blood compatibility of polyurethane using carbon nanotubes as fillers and its implications to cardiovascular surgery, 208
Menger, M. D. See Laschke, M. W., 696
Messer, R. L. W. See Lewis, J. B., 474
Metter, A. T. See DuBose, J. W., 104
Meyerson, H. See Brodbeck, W. G., 222
Mikecz, K. See Hallab, N. J., 124
Mikos, A. G. See Holtorf, H. L., 171; Ruhé, P. Q., 533
Miller, D. M. See Wright-Charlesworth, D. D., 388
Min, B.-M. See Park, B. S., 640
Minami, A. See Funakoshi, T., 338
Miskioglu, I. See Wright-Charlesworth, D. D., 306; Wright-Charlesworth, D. D., 388
Miyashita, Y. See Knowles, N. G., 482
Miyata, S. See Nagayasu, T., 374
Moeller, M. See Groll, J., 607
Mollnes, T. E. See Lappegård, K. T., 230
Monahan, T. S. See Phaneuf, M. D., 666
Moon, H.-J.
—; Kim, K.-N.; Kim, K.-M.; Choi, S.-H.; Kim, C.-K.; Kim, K.-D.; LeGeros, R. Z.; Lee, Y.-K.: Bone formation in calvarial defects of Sprague-Dawley rats by transplantation of calcium phosphate glass, 497
Morotomi, T. See Isogai, N., 408
Morrison, M. L.
—; Buchanan, R. A.; Leon, R. V.; Liu, C. T.; Green, B. A.; Liaw, P. K.; Horton, J. A.: The electrochemical evaluation of a Zr-based bulk metallic glass in a phosphate-buffered saline electrolyte, 430
Mount, A. See Brown, R. Q., 32
Munakata, H. See Isogai, N., 408

Nagayasu, T.
—; Miyata, S.; Hayashi, N.; Takano, R.; Kariya, Y.; Kamei, K.: Heparin structures in FGF-2-dependent morphological transformation of astrocytes, 374
Nakamura, S. See Kato, R., 652
Nakamura, T. See Lynn, A. K., 447
Nakaoka, R.
—; Ahmed, S.; Tsuchiya, T.: Hydroxy apatite microspheres enhance gap junctional intercellular communication of human osteoblasts composed of connexin 43 and 45, 181
Nealey, P. F. See Endler, E. E., 92
Nevell, T. G. See Barbu, E., 598
Nishimura, S.-I. See Funakoshi, T., 338

Ogawa, T. See Butz, F., 164
Oh, H. G. See Kim, H. J., 366
Oh, J.-E. See Park, B. S., 640
Oh, W. M. See Kim, H. J., 366
Olerud, J. E. See Knowles, N. G., 482
Oliveira, N. T. C.
—; Biaggio, S. R.; Rocha-Filho, R. C.; Bocchi, N.: Electrochemical studies on zirconium and its biocompatible alloys Ti-50Zr at.% and Zr-2.5Nb wt.% in simulated physiologic media, 397
Orsini, G. See Imbronito, A. V., 215

Padron, N. T. See Ruhé, P. Q., 533
Pan, K. See Ren, T., 562
Paranjpe, A. See Babensee, J. E., 503
Park, B. S.
—; Heo, S. J.; Kim, C. S.; Oh, J.-E.; Kim, J.-M.; Lee, G.; Park, W. H.; Chung, C.-P.; Min, B.-M.: Effects of adhesion molecules on the behavior of osteoblast-like cells and normal human fibroblasts on different titanium surfaces, 640
Park, S. W. See Kim, H. J., 366
Park. W. H. See Park, B. S., 640
Patel, N. See Lynn, A. K., 447
Peers, W. J. See Wright-Charlesworth, D. D., 306
Péters, F. See Wang, H., 523
Phaneuf, M. D.
—; Bide, M. J.; Hannel, S. L.; Platek, M. J.; Monahan, T. S.; Contreras, M. A.; Phaneuf, T. M.; LoGerfo, F. W.: Development of an infection-resistant, bioactive wound dressing surface, 666
Phaneuf, T. M. See Phaneuf, M. D., 666
Piattelli, A. See Imbronito, A. V., 215
Pieper, J. See Wang, H., 523
Pirrone, A. See Knowles, N. G., 482
Platek, M. J. See Phaneuf, M. D., 666
Porter, A. E. See Lynn, A. K., 447

Ratner, B. D. See Knowles, N. G., 482; Liu, L., 23; Wu, Y., 722
Ren, J. See Ren, T., 562
Ren, T.
—; Ren, J.; Jia, X.; Pan, K.: The bone formation *in vitro* and mandibular defect repair using PLGA porous scaffolds, 562
Renouf, A. C. See Lynn, A. K., 447
Riesenfeld, J. See Lappegård, K. T., 230
Ritchie, R. O. See Kruzic, J. J., 461
Rocha-Filho, R. C. See Oliveira, N. T. C., 397
Rossi, A. M. See dos Santos, E. A., 315
Ruhé, P. Q.
—; Hedberg, E. L.; Padron, N. T.; Spauwen, P. H. M.; Jansen, J. A.; Mikos, A. G.: Biocompatibility and degradation of poly(DL-lactic-*co*-glycolic acid)/calcium phosphate cement composites, 533
Rupp, F. See Zhao, G., 49

Saldívar-García, A. J.
—; López, H. F.: Microstructural effects on the wear resistance of wrought and as-cast Co-Cr-Mo-C implant alloys, 269
Salih, V. See Kim, H.-W., 294
Sá Miranda, M. C. See Barrias, C. C., 545

Santerre, J. P. See McBane, J. E., 1
Santos, J. D. See Dias, A. G., 347
Sarvaiya, I. See Barbu, E., 598
Satsangi, N. See Whang, K., 237; Whang, K., 247
Scarano, A. See Imbronito, A. V., 215
Schmidt, S. See Kanjickal, D., 454
Schmitz, J. P. See Kim, H. J., 366
Schoonman, J. See Leeuwenburgh, S., 275
Schwartz, Z. See Zhao, G., 49
Schwarz, J. A. See Hole, B. B., 712
Sefton, M. V. See Gorbet, M. B., 511
Şen, M.
—; Avcı, E. N.: Radiation synthesis of poly(*N*-vinyl-2-pyrrolidone)–κ-carrageenan hydrogels and their use in wound dressing applications. I. Preliminary laboratory tests, 187
Sexton, J. See Lappegård, K. T., 230
Shih, C.-C.
—; Shih, C.-M.; Su, Y.-Y.; Gerhardt, R. A.; Lin, S.-J.: The interaction of selected semiconducting biomaterials with platelet-rich plasma and whole blood, 325
Shih, C.-M. See Shih, C.-C., 325
Shimizu, Y. See Lynn, A. K., 447
Siebers, M. C.
—; Matsuzaka, K.; Walboomers, X. F.; Leeuwenburgh, S. C. G.; Wolke, J. G. C.; Jansen, J. A.: Osteoclastic resorption of calcium phosphate coatings applied with electrostatic spray deposition (ESD), *in vitro*, 570
Simonovsky, F. I. See Wu, Y., 722
Smart, R. St. C. See Zhang, H., 59
Smith, T. A. See Webster, T. J., 677
Soares, G. A. See dos Santos, E. A., 315
Song, L. See Meng, J., 208
Spauwen, P. H. M. See Ruhé, P. Q., 533
Stegemann, J. P. See MacDonald, R. A., 489
Stio, M. See Martinesi, M., 197
Su, Y.-Y. See Shih, C.-C., 325
Sundararajan, S. See Check, J., 687
Sylvia, V. L. See Kim, H. J., 366

Tabata, Y. See Isogai, N., 408
Takano, R. See Nagayasu, T., 374
Takeuchi, K. See Butz, F., 164
Tamura, H. See Funakoshi, T., 338
Terai, H. See Ito, Y., 659
Textor, M. See Baharloo, B., 12
Thorlacius, H. See Laschke, M. W., 696
Tokura, S. See Funakoshi, T., 338
Treves, C. See Martinesi, M., 197
Trigo Cabral, A. T. See Dias, A. G., 347
Tseng, W.-Y. See Lewis, J. B., 474
Tsibouklis, J. See Barbu, E., 598
Tsuchiya, T. See Nakaoka, R., 181
Tugulu, S. See Groll, J., 607

Uludag, H. See Bansal, G., 618
Underwood, R. A. See Knowles, N. G., 482
Usui, M. L. See Knowles, N. G., 482

van Blitterswijk, C. A. See Wang, H., 523
Veleva, A. N.
—; Khan, S. A.; Cooper, S. L.: Oxidative and hydrolytic stability of a novel acrylic terpolymer for biomedical applications, 117
Viswanathan, G. See MacDonald, R. A., 489

Walboomers, X. F. See Siebers, M. C., 570
—; Jansen, J. A.: Effect of microtextured surfaces on the performance of percutaneous devices, 381
Wang, C. Y. See Meng, J., 208
Wang, D. See Fu, Q., 156
Wang, H.
—; Pieper, J.; Péters, F.; van Blitterswijk, C. A.; Lamme, E. N.: Synthetic scaffold morphology controls human dermal connective tissue formation, 523
Wang, X.
—; Li, X.; Yost, M. J.: Microtensile testing of collagen fibril for cardiovascular tissue engineering, 263
Wataha, J. C. See Lewis, J. B., 474
Webster, T. J.
—; Smith, T. A.: Increased osteoblast function on PLGA composites containing nanophase titania, 677
Whang, K.
—; Grageda, E.; Khan, A.; McDonald, J.; Lawton, M.; Satsangi, N.: A novel osteotropic biomaterial OG-PLG: *In vitro* efficacy, 247
—; McDonald, J.; Khan, A.; Satsangi, N.: A novel osteotropic biomaterial OG-PLG: Synthesis and *in vitro* release, 237
Wieland, M. See Zhao, G., 49
Wolke, J. See Leeuwenburgh, S., 275; Siebers, M. C., 570
Won, Y. See Liu, X., 84
Wright, J. E. I. See Bansal, G., 618
Wright-Charlesworth, D. D.
—; Miller, D. M.; Miskioglu, I.; King, J. A.: Nanoindentation of injection molded PLA and self-reinforced composite PLA after *in vitro* conditioning for three months, 388
—; Peers, W. J.; Miskioglu, I.; Loo, L. L.: Nanomechanical properties of self-reinforced composite poly(methyl methacrylate) as a function of processing temperature, 306
Wu, B. M. See Brown, D. A., 419
Wu, Y. See Kwak, D., 69
—; Simonovsky, F. I.; Ratner, B. D.; Horbett, T. A.: The role of adsorbed fibrinogen in platelet adhesion to polyurethane surfaces: A comparison of surface hydrophobicity, protein adsorption, monoclonal antibody binding, and platelet adhesion, 722

Xie, S. S. See Meng, J., 208
Xie, Y. See Liu, X., 356
Xu, H. Y. See Meng, J., 208
Xue, W.
—; Liu, X.; Zheng, X.; Ding, C.: Effect of hydroxyapatite coating crystallinity on dissolution and osseointegration *in vivo*, 553

Yamane, S. See Funakoshi, T., 338
Yamashita, K. See Kato, R., 652
Yin, J. See Endler, E. E., 92
Yost, M. J. See Wang, X., 263
Young, T.-H. See Chen, M.-H., 254

Zernicke, R. F. See Bansal, G., 618
Zhang, H.
—; Bremmell, K. E.; Smart, R. St. C.: Direct measurement of interactions between adsorbed vitronectin layers: The influence of ionic strength and pH, 59
Zhang, L. See Fu, Q., 156
Zhang, S. See Bansal, G., 618
Zhao, G.
—; Schwartz, Z.; Wieland, M.; Rupp, F.; Geis-Gerstorfer, J.; Cochran, D. L.; Boyan, B. D.: High surface energy enhances cell response to titanium substrate microstructure, 49
Zheng, X. See Xue, W., 553
Zhou, N. See Fu, Q., 156

Journal of Biomedical Materials Research
Subject index—Volume 74A

Acinar cells, 254
Acrylic acid, 598
Acrylic terpolymers, 117
Adhesion molecules, 640
Adjuvant, 503
Alginate, 439
Amorphous, 430
Angiogenesis, 696
Antimicrobial, 666
Apatite, 447
Apatite osteoblast, 356
Apoptosis, 141
Artificial salivary gland, 254
Astrocyte, 374
Atomic force microscopy (AFM), 59, 263, 687, 712
Auricular chondrocyte, 408

Bacteria, 482
Basic fibroblast growth factor, 408
Bioactivity, 652
Biocompatibility, 230, 285, 474, 533, 591, 696
Biocompatible alloys, 397
Biomaterials, 482, 489, 503, 511
Biomechanical test, 164
Bioreactor, 171
Biphasic calcium phosphate tablets, 315
Bisphosphonates, 618
Blood compatibility, 208
Blood–material interaction, 197
Bone, 447
Bone cement, 156, 306
Bone engineering, 533
Bone healing, 215
Bone regeneration, 171, 237, 247, 497
Bone tissue engineering, 562
Bulk metallic glass, 430

Calcium alginate, 545
Calcium phosphate, 40, 275, 533, 570
Calcium phosphate glass, 497
Calcium phosphate glass ceramic, 347
Calvarial defect, 497
Carbonate apatite, 275
Carbon nanotubes, 208, 489
Cardiac tissue engineering, 419
Cardiomyocyte, 419
Cardiovascular, 263
CD11b, 511
Cell adhesion, 23, 92, 607
Cell area, 12
Cell behaviors, 640
Cell culture, 197, 474
Cell function, 705
Cell proliferation, 92, 156, 591
Cell responses, 294
Characterization, 208
Chemical characteristics, 275
Chitosan, 338, 465
C3H10T1/2 cells, 705
Co-base alloys, 269
Coculture, 285
Collagen, 263, 447, 489
Complement, 511
Complexation, 454
Composites, 208, 306, 447, 489
Connective tissue, 523
Connexin, 181
Controlled delivery, 237
Copolymer, 591
Copolymeric hydrogels, 598
Copolymer scaffold, 523
Corrosion, 397, 430, 629
Crosslinking, 666
Crystallinity, 294, 553
Cultispheres™, 40
Cyclic voltammetry, 325
Cyclodextrin, 454
Cyclosporine, 454
Cytokines, 197

Degradable polymers, 388
Degradation, 104
Demineralized bone matrix, 32
Dendritic cells, 503
Dental implants, 164
Deposition parameters, 275
Dicalcium silicate, 356
Differentiation, 49
Dissolution, 294, 553
Disulfide-linked conjugates, 618
D,L-lactide, 581
DLVO, 59
Dorsal skinfold chamber, 696
Drug delivery, 454, 581
Electrical polarization, 652
Electrochemical impedance spectroscopy (EIS), 325
Electrostatic spray deposition, 275, 570
Entrapment, 84
Epidermis, 482
Epithelial cells, 12
Esterase, 1

Fatigue, 461
FGF-2, 374
Fibrinogen, 69
Fibrinogen adsorption, 722
Fibroblasts, 124, 523, 591
Flow, 69
Flow perfusion, 171
Focal adhesion, 12
Foreign body giant cell, 222
Foreign body response, 141, 222, 285
Fracture, 461
Friction, 687
FTIR, 712

Gap junctional intercellular communication, 181
Gelatin, 32, 84
Gene delivery, 40
Gene expression, 366, 419
Glial scar, 374
Granulocytes, 230
Growth, 12

Heat treatment, 705
Heparin, 374
Hip replacements, 306
Hot compaction, 306
Human bone marrow cells, 347
Human mesenchymal stem cells, 439
Human osteoblast cells, 181, 315
Human umbilical vein endothelial cells, 659
Hyaluronan, 338
Hydrocarbon contamination, 49
Hydrogel, 104, 454
Hydrolytic stress, 117
Hydrophilicity, 49, 254
Hydroxyapatite, 181, 652, 712
Hydroxyapatite coating, 553

Immobilization, 659
Implantable biomaterials, 208
Implants, 366, 381
Indomethacin, 581
Inflammation, 230, 696
Interconnectivity, 523
Intervertebral disc, 32
Intrusion distance, 92
In vitro, 388
In vitro biostability, 117
In vitro testing, 347
In vivo, 553

Leukocytes, 230, 511
Ligament, 338
Localized delivery, 545
Lymphocytes, 124, 222, 285

Macrophages, 222, 285, 591
Macrotopography, 315
Mandibular defect, 562
Marrow stromal cell, 171
Maturation, 503
Mechanical behavior, 263
Mechanical properties, 465
Mesenchymal stem cells, 562
Metal ion, 124
Metals, 474
Metal toxicity, 124
Methacrylic acid, 598
Methoxy poly(ethylene glycol), 581
MG-63 osteoblasts, 124, 366
Microcontact printing, 92
Micronotch, 461
Micropatterned cells, 92, 659
Microspheres, 181, 545
Microstructure, 49, 269
Microtextured surfaces, 381
Mineral affinity, 618
Monoclonal antibody, 722
Monocyte-derived macrophage, 1
Monocytes, 230
Morphological transformation, 374

Nanobiotechnology, 489
Nanoindentation, 388
Nanoscale hydroxyapatite, 156
Nano-scratch test, 164
Nanotechnology, 677
Nanotesting, 306
Neocartilage, 439
Nickel–titanium alloy, 629
Nicotinamide adenine dinucleotide phosphate (NADPH) oxidase, 1
Nude mice, 439

Open-circuit potential, 325
Ophthalmic drug delivery, 598
Organ culture, 482
Orientation, 23
Orthodontics, 629
Orthopedic, 677
Osseointegration, 164
Osteoblast, 49, 171, 591, 607, 677
Osteoblast and fibroblast, 640
Osteoclast, 570
Osteolysis, 124
Osteopontin, 23
Oxidative stress, 117

Pattern fidelity, 92
PEG, 511
Percutaneous devices, 381
Pharmacokinetics, 581
Phase transformations, 269
Phosphate-buffered saline, 430
Plasma spraying, 356, 553, 652
Plasmid DNA, 40
Platelet adhesion, 69, 722
Platelet rich plasma (PRP), 325
PLGA, 84, 533, 677
PLLA, 84
p38 mitogen-activated protein kinase (MAPK), 705
Polycarbonate-based polyurethane, 1
Poly(carbonate urethane), 141
Poly(D,L-lactide-*co*-glycolide), 562
Poly(ether urethane), 141
Poly(ethylene glycol) (PEG), 454, 607
Polyethylene tubing, 69
Polyglycolic acid, 215
Polyglycolide, 591
Poly-(HEMA), 482
Polylactic acid, 215, 388
Polylactide, 32, 591
Poly[lactide-*co*-glycolide], 237
Poly(L-lactide-ε-caprolactone), 408
Poly(*N*-vinyl-2-pyrrolidone)–κ-carrageenan hydrogels (PVP-KC), 187
Polyurethane, 722
Polyvinyl chloride, 230
Pore size, 523
Porosity, 533
Pre-anodization, 397
Protein adsorption, 49
Protein interactions, 59
Protein kinase C, 1
Protein release, 104
Proteins, 618
PVDF, 254
Pyrolytic carbon, 461

Rat bone marrow cells, 247
γ-Rays, 187
Resorption lacunae, 570
RGD, 607
Rheumatoid arthritis, 474
Roughness, 294

Scaffold, 84, 171, 338
Self-assembled monolayer, 23, 92
Semiconducting biomaterials, 325
Silicon, 447
Silicone, 141
Silk fibroin, 465
Simulated body fluid, 652
Simvastatin grafted to poly(lactide-*co*-glycolide) (OG-PLG), 247
Small-diameter vascular grafts, 117
Sol-gel hydroxyapatite film, 294
Sprague-Dawley rat, 497
Statin, 237, 247
Stochastic model, 104
Surface, 84
Surface analysis, 629
Surface energy, 49
Surface modification, 92, 197, 419, 607, 640, 666
Surface roughness, 12, 366, 687
Surface topography, 629
Surgical mesh implant, 696
Synthesis and characterization, 237

Textile dyeing technology, 666
Therapeutic enzyme, 545
Three-dimensional (3D)-like proliferation patterns, 705
Thrombin, 666
Ti-6Al-4V, 366
Tin, 591
Tissue engineering, 32, 84, 104, 171, 263, 338, 408, 439, 465, 489, 523, 712
Tissue factor, 511
Tissue regeneration, 465
Titania, 677
Titanium, 12, 49, 607, 640
Titanium alloy, 197, 397
Ti-tissue interface, 164
Toughness, 461
Transcription factors, 474
Transfection efficiency, 40
Tribology, 269

Ultra-high-molecular-weight polyethylene (UH-MWPE), 687
Ultrastructure, 215
UV radiation, 263

Vascular endothelial growth factor, 659
Vinylpyrrolidone, 598
Vitronectin, 59
Von Willebrand's factor, 69

Wear, 269, 687
Wound dressing, 187, 666

Xenograft, 712

Zirconium, 430, 591
Zirconium alloy, 397

JOURNAL OF BIOMEDICAL MATERIALS RESEARCH PART A

Volume 74A Contents 2005

July 1, 2005
Volume 74A
Issue No. 1

1 Role of Protein Kinase C in the Monocyte-Derived Macrophage-Mediated Biodegradation of Polycarbonate-Based Polyurethanes
J. E. McBane, J. P. Santerre, and R. S. Labow
Published online 20 May 2005

12 Substratum Roughness Alters the Growth, Area, and Focal Adhesions of Epithelial Cells, and Their Proximity to Titanium Surfaces
B. Baharloo, M. Textor, and D. M. Brunette
Published online 27 May 2005

23 Controlling Osteopontin Orientation on Surfaces to Modulate Endothelial Cell Adhesion
L. Liu, S. Chen, C. M. Giachelli, B. D. Ratner, and S. Jiang
Published online 26 May 2005

32 Evaluation of Polymer Scaffolds to Be Used in a Composite Injectable System for Intervertebral Disc Tissue Engineering
R. Q. Brown, A. Mount, and K. J. L. Burg
Published online 26 May 2005

40 A Calcium Phosphate-Based Gene Delivery System
H. Fu, Y. Hu, T. McNelis, and J. O. Hollinger
Published online 26 May 2005

49 High Surface Energy Enhances Cell Response to Titanium Substrate Microstructure
G. Zhao, Z. Schwartz, M. Wieland, F. Rupp, J. Geis-Gerstorfer, D. L. Cochran, and B. D. Boyan
Published online 27 May 2005

59 Direct Measurement of Interactions Between Adsorbed Vitronectin Layers: The Influence of Ionic Strength and pH
H. Zhang, K. E. Bremmell, and R. St. C. Smart
Published online 20 May 2005

69 Fibrinogen and von Willebrand's Factor Adsorption Are Both Required for Platelet Adhesion from Sheared Suspensions to Polyethylene Preadsorbed with Blood Plasma
D. Kwak, Y. Wu, and T. A. Horbett
Published online 20 May 2005

84 Surface Modification of Interconnected Porous Scaffolds
X. Liu, Y. Won, and P. X. Ma
Published online 3 June 2005

92 Fidelity of Micropatterned Cell Cultures
E. E. Endler, P. F. Nealey, and J. Yin
Published online 26 May 2005

104 Controlled Release of Tethered Molecules Via Engineered Hydrogel Degradation: Model Development and Validation
J. W. DuBose, C. Cutshall, and A. T. Metters
Published online 6 June 2005

117 Oxidative and Hydrolytic Stability of a Novel Acrylic Terpolymer for Biomedical Applications
A. N. Veleva, S. A. Khan, and S. L. Cooper
Published online 27 May 2005

124 Effects of Soluble Metals on Human Peri-Implant Cells
N. J. Hallab, S. Anderson, M. Caicedo, A. Brasher, K. Mikecz, and J. J. Jacobs
Published online 3 June 2005

August 1, 2005
Volume 74A
Issue No. 2

141 Biostability and Macrophage-Mediated Foreign Body Reaction of Silicone-Modified Polyurethanes
E. M. Christenson, M. Dadsetan, J. M. Anderson, and A. Hiltner
Published online 9 June 2005

156 Effects of Nano HAP on Biological and Structural Properties of Glass Bone Cement
Q. Fu, N. Zhou, W. Huang, D. Wang, L. Zhang, and H. Li
Published online 16 June 2005

164 Enhanced Mineralized Tissue Adhesion to Titanium Over Polystyrene Assessed by the Nano-Scratch Test
F. Butz, H. Aita, K. Takeuchi, and T. Ogawa
Published online 16 June 2005

171 Scaffold Mesh Size Affects the Osteoblastic Differentiation of Seeded Marrow Stromal Cells Cultured in a Flow Perfusion Bioreactor
H. L. Holtorf, N. Datta, J. A. Jansen, and A. G. Mikos
Published online 17 June 2005

181 Hydroxy Apatite Microspheres Enhance Gap Junctional Intercellular Communication of Human Osteoblasts Composed of Connexin 43 and 45
R. Nakaoka, S. Ahmed, and T. Tsuchiya
Published online 17 June 2005

187 Radiation Synthesis of Poly(*N*-Vinyl-2-Pyrrolidone)–κ-Carrageenan Hydrogels and Their Use in Wound Dressing Applications. I. Preliminary Laboratory Tests
M. Şen and E. N. Avcı
Published online 16 June 2005

197 *In Vitro* Interaction Between Surface-Treated Ti-6Al-4V Titanium Alloy and Human Peripheral Blood Mononuclear Cells
M. Martinesi, S. Bruni, M. Stio, C. Treves, and F. Borgioli
Published online 17 June 2005

208 Improving the Blood Compatibility of Polyurethane Using Carbon Nanotubes as Fillers and Its Implications to Cardiovascular Surgery
J. Meng, H. Kong, H. Y. Xu, L. Song, C. Y. Wang, and S. S. Xie
Published online 16 June 2005

215 Ultrastructure of Bone Healing in Defects Grafted with a Copolymer of Polylactic/Polyglycolic Acids
A. V. Imbronito, A. Scarano, G. Orsini, A. Piattelli, and V. E. Arana-Chavez
Published online 9 June 2005

222 Lymphocytes and the Foreign Body Response: Lymphocyte Enhancement of Macrophage Adhesion and Fusion
W. G. Brodbeck, M. MacEwan, E. Colton, H. Meyerson, and J. M. Anderson
Published online 9 June 2005

230 Role of Granulocytes and Monocytes in the Polyvinyl Chloride-Induced Synthesis of Interleukin 8, Monocyte Chemoattractant Protein 1, and Leukotriene B4
K. T. Lappegård, G. Bergseth, J. Riesenfeld, J. Sexton, and T. E. Mollnes
Published online 16 June 2005

237 A Novel Osteotropic Biomaterial OG-PLG: Synthesis and *In Vitro* Release
K. Whang, J. McDonald, A. Khan, and N. Satsangi
Published online 24 June 2005

247 A Novel Osteotropic Biomaterial OG-PLG: *In Vitro* Efficacy
K. Whang, E. Grageda, A. Khan, J. McDonald, M. Lawton, and N. Satsangi
Published online 16 June 2005

254 Interactions of Acinar Cells on Biomaterials with Various Surface Properties
M.-H. Chen, Y.-H. Hsu, C.-P. Lin, Y.-J. Chen, and T.-H. Young
Published online 17 June 2005

263 Microtensile Testing of Collagen Fibril for Cardiovascular Tissue Engineering
X. Wang, X. Li, and M. J. Yost
Published online 16 June 2005

269 Microstructural Effects on the Wear Resistance of Wrought and As-Cast Co-Cr-Mo-C Implant Alloys
A. J. Saldívar-García and H. F. López
Published online 17 June 2005

275 Influence of Deposition Parameters on Chemical Properties of Calcium Phosphate Coatings Prepared by Using Electrostatic Spray Deposition
S. Leeuwenburgh, J. Wolke, J. Schoonman, and J. A. Jansen
Published online 16 June 2005

September 1, 2005
Volume 74A
Issue No. 3

285 Monocyte/Lymphocyte Interactions and the Foreign Body Response: *In Vitro* Effects of Biomaterial Surface Chemistry
M. R. MacEwan, W. G. Brodbeck, T. Matsuda, and J. M. Anderson
Published online 22 June 2005

294 Sol-Gel-Modified Titanium with Hydroxyapatite Thin Films and Effect on Osteoblast-Like Cell Responses
H.-W. Kim, H.-E. Kim, V. Salih, and J. C. Knowles
Published online 12 July 2005

306 Nanomechanical Properties of Self-Reinforced Composite Poly(Methyl Methacrylate) as a Function of Processing Temperature
D. D. Wright-Charlesworth, W. J. Peers, I. Miskioglu, and L. L. Loo
Published online 22 June 2005

315 Effects of Surface Undulations of Biphasic Calcium Phosphate Tablets on Human Osteoblast Behavior
E. A. dos Santos, A. B. R. Linhares, A. M. Rossi, M. Farina, and G. A. Soares
Published online 11 July 2005

325 The Interaction of Selected Semiconducting Biomaterials with Platelet-Rich Plasma and Whole Blood
C.-C. Shih, C.-M. Shih, Y.-Y. Su, R. A. Gerhardt, and S.-J. Lin
Published online 11 July 2005

338 Novel Chitosan-Based Hyaluronan Hybrid Polymer Fibers as a Scaffold in Ligament Tissue Engineering
T. Funakoshi, T. Majima, N. Iwasaki, S. Yamane, T. Masuko, A. Minami, K. Harada, H. Tamura, S. Tokura, and S.-I. Nishimura
Published online 12 July 2005

347 *In Vitro* Studies of Calcium Phosphate Glass Ceramics with Different Solubility with the Use of Human Bone Marrow Cells
A. G. Dias, M. A. Lopes, A. T. Trigo Cabral, J. D. Santos, and M. H. Fernandes
Published online 29 June 2005

356 Early Apatite Deposition and Osteoblast Growth on Plasma-Sprayed Dicalcium Silicate Coating
X. Liu, Y. Xie, C. Ding, and P. K. Chu
Published online 11 July 2005

366 Varying Ti-6Al-4V Surface Roughness Induces Different Early Morphologic and Molecular Responses in MG63 Osteoblast-Like Cells
H. J. Kim, S. H. Kim, M. S. Kim, E. J. Lee, H. G. Oh, W. M. Oh, S. W. Park, W. J. Kim, G. J. Lee, N. G. Choi, J. T. Koh, D. B. Dinh, R. R. Hardin, K. Johnson, V. L. Sylvia, J. P. Schmitz, and D. D. Dean
Published online 27 June 2005

374 Heparin Structures in FGF-2–dependent Morphological Transformation of Astrocytes
T. Nagayasu, S. Miyata, N. Hayashi, R. Takano, Y. Kariya, and K. Kamei
Published online 22 June 2005

381 Effect of Microtextured Surfaces on the Performance of Percutaneous Devices
X. F. Walboomers and J. A. Jansen
Published online 27 June 2005

388 Nanoindentation of Injection Molded PLA and Self-Reinforced Composite PLA After *In Vitro* Conditioning for Three Months
D. D. Wright-Charlesworth, D. M. Miller, I. Miskioglu, and J. A. King
Published online 12 July 2005

397 Electrochemical Studies on Zirconium and Its Biocompatible Alloys Ti-50Zr At.% and Zr-2.5Nb Wt.% in Simulated Physiologic Media
N. T. C. Oliveira, S. R. Biaggio, R. C. Rocha-Filho, and N. Bocchi
Published online 27 June 2005

408 Combined Chondrocyte–Copolymer Implantation with Slow Release of Basic Fibroblast Growth Factor for Tissue Engineering an Auricular Cartilage Construct
N. Isogai, T. Morotomi, S. Hayakawa, H. Munakata, Y. Tabata, Y. Ikada, and H. Kamiishi
Published online 22 June 2005

419 Modulation of Gene Expression in Neonatal Rat Cardiomyocytes by Surface Modification of Polylactide-co-Glycolide Substrates
D. A. Brown, R. E. Beygui, W. R. MacLellan, H. Laks, J. C. Y. Dunn, and B. M. Wu
Published online 22 June 2005

430 The Electrochemical Evaluation of a Zr-Based Bulk Metallic Glass in a Phosphate-Buffered Saline Electrolyte
M. L. Morrison, R. A. Buchanan, R. V. Leon, C. T. Liu, B. A. Green, P. K. Liaw, and J. A. Horton
Published online 12 July 2005

439 Neocartilage from Human Mesenchymal Stem Cells in Alginate: Implied Timing of Transplantation
H.-L. Ma, T.-H. Chen, L. L.-T. Ho, and S.-C. Hung
Published online 12 July 2005

447 Composition-Controlled Nanocomposites of Apatite and Collagen Incorporating Silicon as an Osseopromotive Agent
A. K. Lynn, T. Nakamura, N. Patel, A. E. Porter, A. C. Renouf, P. R. Laity, S. M. Best, R. E. Cameron, Y. Shimizu, and W. Bonfield
Published online 27 June 2005

454 Improving Delivery of Hydrophobic Drugs from Hydrogels Through Cyclodextrins
D. Kanjickal, S. Lopina, M. M. Evancho-Chapman, S. Schmidt, and D. Donovan
Published online 27 June 2005

461 Simple and Accurate Fracture Toughness Testing Methods for Pyrolytic Carbon/Graphite Composites Used in Heart-Valve Prostheses
J. J. Kruzic, S. J. Kuskowski, and R. O. Ritchie
Published online 22 June 2005

465 Structural and Mechanical Characteristics of Silk Fibroin and Chitosan Blend Scaffolds for Tissue Regeneration
A. S. Gobin, V. E. Froude, and A. B. Mathur
Published online 27 June 2005

474 Au(III), Pd(II), Ni(II), and Hg(II) Alter NFκB Signaling in THP1 Monocytic Cells
J. B. Lewis, J. C. Wataha, V. McCloud, P. E. Lockwood, R. L. W. Messer, and W.-Y. Tseng
Published online 27 June 2005

482 A Model for Studying Epithelial Attachment and Morphology at the Interface Between Skin and Percutaneous Devices
N. G. Knowles, Y. Miyashita, M. L. Usui, A. J. Marshall, A. Pirrone, K. D. Hauch, B. D. Ratner, R. A. Underwood, P. Fleckman, and J. E. Olerud
Published online 27 June 2005

489 Collagen–Carbon Nanotube Composite Materials as Scaffolds in Tissue Engineering
R. A. MacDonald, B. F. Laurenzi, G. Viswanathan, P. M. Ajayan, and J. P. Stegemann
Published online 22 June 2005

497 Bone Formation in Calvarial Defects of Sprague-Dawley Rats by Transplantation of Calcium Phosphate Glass
H.-J. Moon, K.-N. Kim, K.-M. Kim, S.-H. Choi, C.-K. Kim, K.-D. Kim, R. Z. LeGeros, and Y.-K. Lee
Published online 27 June 2005

September 15, 2005
Volume 74A
Issue No. 4

503 Differential Levels of Dendritic Cell Maturation on Different Biomaterials Used in Combination Products
J. E. Babensee and A. Paranjpe
Published online 11 July 2005

511 Complement Inhibition Reduces Material-Induced Leukocyte Activation with PEG Modified Polystyrene Beads (Tentagel™) But Not Polystyrene Beads
M. B. Gorbet and M. V. Sefton
Published online 20 July 2005

523 Synthetic Scaffold Morphology Controls Human Dermal Connective Tissue Formation
H. Wang, J. Pieper, F. Péters, C. A. van Blitterswijk, and E. N. Lamme
Published online 18 July 2005

533 Biocompatibility and Degradation of Poly(DL-Lactic-co-Glycolic Acid)/Calcium Phosphate Cement Composites
P. Q. Ruhé, E. L. Hedberg, N. T. Padron, P. H. M. Spauwen, J. A. Jansen, and A. G. Mikos
Published online 22 July 2005

545 Biological Evaluation of Calcium Alginate Microspheres as a Vehicle for the Localized Delivery of a Therapeutic Enzyme
C. C. Barrias, M. Lamghari, P. L. Granja, M. C. Sá Miranda, and M. A. Barbosa
Published online 18 July 2005

553 Effect of Hydroxyapatite Coating Crystallinity on Dissolution and Osseointegration *In Vivo*
W. Xue, X. Liu, X. Zheng, and C. Ding
Published online 15 July 2005

562 The Bone Formation *In Vitro* and Mandibular Defect Repair Using PLGA Porous Scaffolds
T. Ren, J. Ren, X. Jia, and K. Pan
Published online 15 July 2005

570 Osteoclastic Resorption of Calcium Phosphate Coatings Applied with Electrostatic Spray Deposition (ESD), *In Vitro*
M. C. Siebers, K. Matsuzaka, X. F. Walboomers, S. C. G. Leeuwenburgh, J. G. C. Wolke, and J. A. Jansen
Published online 15 July 2005

581 Indomethacin-Loaded Methoxy Poly(Ethylene Glycol)/Poly(D,L-Lactide) Amphiphilic Diblock Copolymeric Nanospheres: Pharmacokinetic and Toxicity Studies in Rodents
S. Y. Kim, Y. M. Lee, and J. S. Kang
Published online 15 July 2005

591 Interaction of Cells with L-Lactide/Glycolide Copolymers Synthesized with the Use of Tin or Zirconium Compounds
B. Czajkowska, P. Dobrzynski, and M. Bero
Published online 13 July 2005

598 Vinylpyrrolidone-co-(meth)acrylic Acid Inserts for Ocular Drug Delivery: Synthesis and Evaluation
E. Barbu, I. Sarvaiya, K. L Green, T. G Nevell, and J. Tsibouklis
Published online 14 July 2005

607 A Novel Star PEG–Derived Surface Coating for Specific Cell Adhesion
J. Groll, J. Fiedler, E. Engelhard, T. Ameringer, S. Tugulu, H.-A. Klok, R. E. Brenner, and M. Moeller
Published online 20 July 2005

618 Imparting Mineral Affinity to Proteins with Thiol–Labile Disulfide Linkages
G. Bansal, J. E. I. Wright, S. Zhang, R. F. Zernicke, and H. Uludag
Published online 21 July 2005

629 Surface Characterizations and Corrosion Resistance of Nickel–Titanium Orthodontic Archwires in Artificial Saliva of Various Degrees of Acidity
H.-H. Huang
Published online 15 July 2005

640 Effects of Adhesion Molecules on the Behavior of Osteoblast-Like Cells and Normal Human Fibroblasts on Different Titanium Surfaces
B. S. Park, S. J. Heo, C. S. Kim, J.-E. Oh, J.-M. Kim, G. Lee, W. H. Park, C.-P. Chung, and B.-M. Min
Published online 13 July 2005

652 Electrical Polarization of Plasma-Spray–Hydroxyapatite Coatings for Improvement of Osteoconduction of Implants
R. Kato, S. Nakamura, K. Katayama, and K. Yamashita
Published online 14 July 2005

659 Culture of Human Umbilical Vein Endothelial Cells on Immobilized Vascular Endothelial Growth Factor
Y. Ito, H. Hasuda, H. Terai, and T. Kitajima
Published online 20 July 2005

666 Development of an Infection-Resistant, Bioactive Wound Dressing Surface
M. D. Phaneuf, M. J. Bide, S. L. Hannel, M. J. Platek, T. S. Monahan, M. A. Contreras, T. M. Phaneuf, and F. W. LoGerfo
Published online 18 July 2005

677 Increased Osteoblast Function on PLGA Composites Containing Nanophase Titania
T. J. Webster and T. A. Smith
Published online 20 July 2005

687 Comparison of the Effect of Surface Roughness on the Micro/Nanotribological Behavior of Ultra-High-Molecular-Weight Polyethylene (UHMWPE) in Air and Bovine Serum Solution
J. Check, K. S. Kanaga Karuppiah, and S. Sundararajan
Published online 18 July 2005

696 New Experimental Approach to Study Host Tissue Response to Surgical Mesh Materials *In Vivo*
M. W. Laschke, J. M. Häufel, H. Thorlacius, and M. D. Menger
Published online 21 July 2005

705 Enhancement of Hydroxyapatite-Mediated Three-Dimensional-Like Proliferation of Mouse Fibroblasts by Heat Treatment: Effects of Heat Shock-Induced p38 MAPK Pathway
F. Hiragami, J. Akiyama, Y. Koike, and Y. Kano
Published online 20 July 2005

712 A Study of Biologically Active Peptide Sequences (P-15™) on the Surface of an ABM Scaffold (PepGen P-15™) Using AFM and FTIR
B. B. Hole, J. A. Schwarz, J. L. Gilbert, and B. L. Atkinson
Published online 14 July 2005

722 The Role of Adsorbed Fibrinogen in Platelet Adhesion to Polyurethane Surfaces: A Comparison of Surface Hydrophobicity, Protein Adsorption, Monoclonal Antibody Binding, and Platelet Adhesion
Y. Wu, F. I. Simonovsky, B. D. Ratner, and T. A. Horbett
Published online 21 July 2005

740 Author Index to Volume 74A

745 Subject Index to Volume 74A

I Volume 74A Contents

Journal of Biomedical Materials Research (Applied Biomaterials) Author Index—Volume 74B

Achilias, D. S. See Sideridou, I. D., 617
Ainola, M. See Mandelin, J., 582
Aksöz, E. See Doğan, A. K., 504
Ambrosano, G. M. B. See Lobo, M. M., 725
Andersson, R. See Zhao, X., 774
Aquarius, R. See Janssen, D., 747
Armynot, A. See Michaëilesco, P., 760
Asano, T. See Oonishi, H., 754
Auterith, A. See Schopper, C., 458

Bae, J.-H.
—;—;Cho, B.-H.; Kim, J.-S.; Kim, M.-S.; Lee, I.-B.; Son, H.-H.; Um, C.-M.; Kim, C.-K.; Kim, O.-Y.: Adhesive layer properties as a determinant of dentin bond strength, 822
Bail, H. See Partale, K., 608
Baldrian, J. See Nevoralová, M., 800
Bartkowiak, A. See Orive, G., 429
Belli, S.
—;—;Eskitaşcıoğlu, G.; Eraslan, O.; Senawongse, P.; Tagami, J.: Effect of hybrid layer on stress distribution in a premolar tooth restored with composite or ceramic inlay: An FEM study, 665
Bellón, J. M.
—;—;Serrano, N.; Rodríguez, M.; García-Honduvilla, N.; Pascual, G.; Buján, J.: Composite prostheses used to repair abdominal wall defects: Physical or chemical adhesion barriers?, 718
Bergmeister, H.
—;Boeck, P.; Kasimir, M.-T.; Fleck, T.; Fitzal, F.; Husinsky, W.; Mittlboeck, M.; Stoehr, H. G.; Losert, U.; Wolner, E.; Grabenwoeger, M.: Effect of laser perforation on the remodeling of acellular matrix grafts, 495
Boeck, P. See Bergmeister, H., 495
Boudeville, P. See Michaëilesco, P., 760
Bragulla, H. See Partale, K., 608
Bruce, W. See Svehla, M., 423
Buján, J. See Bellón, J. M., 718
Butler, P. E. See Kannan, R. Y., 570
Buttery, L. D. K. See Christodoulou, I., 529

Caputi, S. See Di Iorio, D., 636; Traini, T., 538
Castañeda, S. C. See Chávez-Delgado, M. E., 589
Chang, Y.-C. See Huang, F.-M., 768
Chávez-Delgado, M. E.
—;Gomez-Pinedo, U.; Feria-Velasco, A.; Huerta-Viera, M.; Castañeda, S. C.; Toral, F. A. L.-D.; Parducz, A.; Luquín-De Anda, S.; Mora-Galindo, J.; García-Estrada, J.: Ultrastructural analysis of guided nerve regeneration using progesterone- and pregnenolone-loaded chitosan prostheses, 589
Chen, P.-Q. See Yang, S.-H., 488
Chen, Y.-F. See Yang, S.-H., 488
Cho, B.-H. See Bae, J.-H., 822
Chodák, I. See Nevoralová, M., 800
Chou, L. S.-S. See Huang, F.-M., 768
Chou, M.-Y. See Huang, F.-M., 768
Christodoulou, I.
—;Buttery, L. D. K.; Saravanapavan, P.; Tai, G.; Hench, L. L.; Polak, J. M.: Dose- and time-dependent effect of bioactive gel-glass ionic-dissolution products on human fetal osteoblast-specific gene expression, 529
Clarke, I. C. See Oonishi, H., 754
Coulthwaite, L. See Price, C. L., 481
Cui, F. See Liao, S., 817

De Carlo, F. See Drummond, J. L., 669
De Castro, M. See Orive, G., 429
Degidi, M. See Di Iorio, D., 636; Orsini, G., 448; Traini, T., 538
De Ranieri, A.
—;Virdi, A. S.; Kuroda, S.; Healy, K. E.; Hallab, N. J.; Sumner, D. R.: Saline irrigation does not affect bone formation or fixation strength of hydroxyapatite/tricalcium phosphate-coated implants in a rat model, 712
Di Iorio, D.
—;Traini, T.; Degidi, M.; Caputi,S.; Neugebauer, J.; Piattelli, A.: Quantitative evaluation of the fibrin clot extension on different implant surfaces: An *in vitro* study, 636
Doğan, A. K.
—;Gümüşderelioğlu, M.; Aksöz, E.: Controlled release of EGF and bFGF from dextran hydrogels *in vitro* and *in vivo*, 504
Drummond, J. L.
—;De Carlo, F.; Super, B. J.: Three-dimensional tomography of composite fracture surfaces, 669
Duda, G. N. See Partale, K., 608

Eberhart, R. C. See Zilberman, M., 792
El Briak, H. See Michaëilesco, P., 760
Eraslan, O. See Belli, S., 665
Eskitaşcıoğlu, G. See Belli, S., 665
Ewers, R. See Schopper, C., 458

Feria-Velasco, A. See Chávez-Delgado, M. E., 589
Fitzal, F. See Bergmeister, H., 495
Fleck, T. See Bergmeister, H., 495
Frankenberger, R. See Reich, S. M., 740
Fujita, H.
—;Kitaori, T.; Iida, H.; Shimizu, K.; Hiroshima, Y.; Kawanabe, K.; Nakamura, T.: Novel intramedullary plug with sliding mechanism used in revision total knee arthroplasty, 419

García-Estrada, J. See Chávez-Delgado, M. E., 589
García-Honduvilla, N. See Bellón, J. M., 718
Gascòn, A. R. See Orive, G., 429
Gastinger, I. See Ueberrueck, T., 601
Gilbert, J. L. See Merkhan, I. K., 643
Gilbert, M. See Huebsch, N., 440
Gomei, Y. See Higuchi, A., 511
Gomez-Pinedo, U. See Chávez-Delgado, M. E., 589
Gonçalves, R. B. See Lobo, M. M., 725
Goriwoda, W. See Schopper, C., 458
Grabenwoeger, M. See Bergmeister, H., 495
Grassi, F. A. See Reguzzoni, M., 808
Grün, R. See Lassen, K. S., 553
Gümüşderelioğlu, M. See Doğan, A. K., 504

Hallab, N. J. See De Ranieri, A., 712
Hamilton, G. See Kannan, R. Y., 570
Hasenwinkel, J. M. See Merkhan, I. K., 643
Hashimoto, M.
—;Tay, F. R.; Ito, S.; Sano, H.; Kaga, M.; Pashley, D. H.: Permeability of adhesive resin films, 699
Healy, K. E. See De Ranieri, A., 712; Huebsch, N., 440
Hedia, H. S.
—;Comparison of one-dimensional and two-dimensional functionally graded materials for the backing shell of the cemented acetabular cup, 732
Hench, L. L. See Christodoulou, I., 529
Hernández, R. M. See Orive, G., 429
Higuchi, A.
—;Shindo, Y.; Gomei, Y.; Mori, T.; Uyama, T.; Umezawa, A.: Cell separation between mesenchymal progenitor

cells through porous polymeric membranes, 511
Hiroshima, Y. See Fujita, H., 419
Horák, Z. See Nevoralová, M., 800
Hou, S.-M. See Yang, S.-H., 468
Hsu, C.-K. See Yang, S.-H., 468
Huang, C.-C. See Huang, Y.-C., 659
Huang, F.-M.
—;Chou, L. S.-S.; Chou, M.-Y.; Chang, Y.-C.: Protective effect of NAC on formaldehyde-containing–ZOE-based root-canal-sealers–induced cyclooxygenase-2 expression and cytotoxicity in human osteoblastic cells, 768
Huang, Y.-C.
—;Huang, Y.-Y.; Huang, C.-C.; Liu, H.-C.: Manufacture of porous polymer nerve conduits through a lyophilizing and wire-heating process, 659
Huang, Y.-Y. See Huang, Y.-C., 659
Huebsch, N.
—;Gilbert, M.; Healy K. E.: Analysis of sterilization protocols for peptide-modified hydrogels, 440
Huerta-Viera, M. See Chávez-Delgado, M. E., 589
Hukkanen, M. See Mandelin, J., 582
Husinsky, W. See Bergmeister, H., 495

Iesaka, K. See Kummer, F. J., 789
Iida, H. See Fujita, H., 419
Irsen, S. See Seitz, H., 782
Ito, S. See Hashimoto, M., 699

Jahnke, H. See Otten, J.-E., 627
Janssen, D.
—;Aquarius, R.; Stolk, J.; Verdonschot, N.: Thé contradictory effects of pores on fatigue cracking of bone cement, 747

Kaga, M. See Hashimoto, M., 699
Kalliomäki, J. See Zhao, X., 774
Kalliomäki, S. See Zhao, X., 774
Kannan, R. Y.
—;Salacinski, H. J.; Butler, P. E.; Hamilton, G.; Seifalian, A. M.: Current status of prosthetic bypass grafts: A review, 570
Kasimir, M.-T. See Bergmeister, H., 495
Kataori, T. See Fujita, H., 419
Kawanabe, K. See Fujita, H., 419
Kim, C.-K. See Bae, J.-H., 822
Kim, H.-W.
—;Knowles, J. C.; Kim, H.-E.: Porous scaffolds of gelatin–hydroxyapatite nanocomposites obtained by biomimetic approach: Characterization and antibiotic drug release, 686
Kim, J.-S. See Bae, J.-H., 822
Kim, K.-E. See Kim, H.-W., 686
Kim, K.-N. See Oh, K.-T., 649
Kim, M.-S. See Bae, J.-H., 822
Kim, O.-Y. See Bae, J.-H., 822
Kim, S. C. See Oonishi, H., 754
Klein, P. See Partale, K., 608
Knowles, J. C. See Kim, H.-W., 686
Konttinen, Y. T. See Mandelin, J., 582
Kouassi, M. See Michaäilesco, P., 760
Kummer, F. J.
—;Iesaka, K.: The role of graft materials in suture augmentation for tendon repairs and reattachment, 789
Kuroda, S. See De Ranieri, A., 712
Kyomoto, M. See Oonishi, H., 754

Lagogiannis, G. See Schopper, C., 458
Lassen, K. S.
—;Nordby, B.; Grün, R.: The dependence of the sporicidal effects on the power and pressure of RF-generated plasma processes, 553
Lee, I.-B. See Bae, J.-H., 822
Leukers, B. See Seitz, H., 782
Lewis, M. A. O. See Price, C. L., 481
Li, Q. See Li, W., 520
Li, T.-F. See Mandelin, J., 582
Li, W.
—;Swain, M. V.; Li, Q.; Steven, G. P.: Towards automated 3D finite element modeling of direct fiber reinforced composite dental bridge, 520
Liao, S.
—;Watari, F.; Uo, M.; Ohkawa, S.; Tamura, K.; Wang, W.; Cui, F.: The preparation and characteristics of a carbonated hydroxyapatite/collagen composite at room temperature, 817
Liljeström, M. See Mandelin, J., 582
Lin, F.-H. See Yang, S.-H., 468; Yang, S.-H., 488
Lippert, H. See Ueberrueck, T., 601
Lisiecki, S. See Orive, G., 429
Liu, H.-C. See Huang, Y.-C., 659
Lobo, M. M.
—;Gonçalves, R. B.; Ambrosano, G. M. B.; Pimenta, L. A. F.: Chemical or microbiological models of secondary caries development around different dental restorative materials, 725
Losert, U. See Bergmeister, H., 495
Luo, Y. See Pan, J., 476
Luquín De Anda, S. L.-D. See Chávez-Delgado, M. E., 589

Mandelin, J.
—;Liljeström, M.; Li, T.-F.; Ainola, M.; Hukkanen, M.; Salo, J.; Santavirta, S.; Konttinen, Y. T.: Pseudosynovial fluid from loosened total hip prosthesis induces osteoclast formation, 582
Manelli, A. See Reguzzoni, M., 808
Mano, J. F. See Oliveira, A. L., 560
Masuda, S. See Oonishi, H., 754
Merkhan, I. K.
—;Hasenwinkel, J. M.; Gilbert, J. L.: Quantitative analysis of monomer vapor release from two-solution bone cement by using a novel FTIR technique, 643
Michaäilesco, P.
—;Kouassi, M.; El Briak, H.; Armynot, A.; Boudeville, P.: Antimicrobial activity and tightness of a DCPD–CaO-based hydraulic calcium phosphate cement for root canal filling, 760
Mittlboeck, M. See Bergmeister, H., 495
Mora-Galindo, J. See Chávez-Delgado, M. E., 589
Morberg, P. See Svehla, M., 423
Mori, T. See Higuchi, A., 511
Moser, D. See Schopper, C., 458

Nakamura, T. See Fujita, H., 419
Naumann, M.
—;Sterzenbach, G.; Pröschel, P.: Evaluation of load testing of postendodontic restorations *in vitro:* Linear compressive loading, gradual cycling loading and chewing simulation, 829
Nelson, K. D. See Zilberman, M., 792
Neugebauer, J. See Di Iorio, D., 636
Nevoralová, M.
—;Baldrian, J.; Pospíšil, J.; Chodák, I.; Horák, Z.: Structure modification of UHMWPE used for total joint replacements, 800
Nordby, B. See Lassen, K. S., 553
Norling, B. K. See Satsangi, N., 706

Oh, K.-T.
—;Shim, H.-M.; Kim, K.-N.: Properties of titanium–silver alloys for dental application, 649
Ohkawa, S. See Liao, S., 817
Oliveira, A. L.
—;Mano, J. F.; Román, J. S.; Reis, R. L.: Study of the influence of β-radiation on the properties and mineralization of different starch-based biomaterials, 560
Oonishi, H.
—;Kim, S. C.; Kyomoto, M.; Masuda, S.; Asano, T.; Clarke, I. C.: Change in UHMWPE properties of retrieved ceramic total knee prosthesis in clinical use for 23 years, 754
Ori, T. See Suzuki, S., 547
Orive, G.
—;Bartkowiak, A.; Lisiecki, S.; De Castro, M.; Hernández, R. M.; Gascòn, A. R.; Pedraz, J. L.: Biocompatible oligochitosans as cationic modifiers of alginate/Ca microcapsules, 429
Orsini, G.
—;Traini, T.; Scarano, A.; Degidi, M.; Perrotti, V.; Piccirilli, M.; Piattelli, A.: Maxillary sinus augmentation with Bio-

Oss® particles: A light, scanning, and transmission electron microscopy study in man, 448

Otten, J.-E.
—;Wiedmann-Al-Ahmad, M.; Jahnke, H.; Pelz, K.: Bacterial colonization on different suture materials—a potential risk for intraoral dentoalveolar surgery, 627

Pan, J.
—;Wang, Y.; Qin, S.; Zhang, B.; Luo, Y.: Grafting reaction of poly(D,L)lactic acid with maleic anhydride and hexanediamine to introduce more reactive groups in its bulk, 476

Parducz, A. See Chávez-Delgado, M. E., 589

Partale, K.
—;Klein, P.; Schell, H.; Schmidmaier, G.; Wildemann, B.; Bail, H.; Schiller, R.; Bragulla, H.; Duda, G. N.: Poly(D,L-lactide) coating is capable of enhancing osseous integration of Schanz screws in the absence of infection, 608

Pascual, G. See Bellón, J. M., 718

Pashley, D. H. See Hashimoto, M., 699

Pedraz, J. L. See Orive, G., 429

Pelz, K. See Otten, J.-E., 627

Perrotti, V. See Orsini, G., 448

Piattelli, A. See Di Iorio, D., 636; Orsini, G., 448; Traini, T., 538

Piccirilli, M. See Orsini, G., 448

Pimenta, L. A. F. See Lobo, M. M., 725

Polak, J. M. See Christodoulou, I., 529

Pospíšil, J. See Nevoralová, M., 800

Price, C. L.
—;Williams, D. W.; Waters, M. G. J.; Coulthwaite, L.; Verran, J.; Taylor, R. L.; Stickler, D.; Lewis, M. A. O.: Reduced adherence of *Candida* to silane-treated silicone rubber, 481

Pröschel, P. See Naumann, M., 829

Qin, S. See Pan, J., 476

Raspanti, M. See Reguzzoni, M., 808

Rawls, H. R. See Satsangi, N., 706

Reguzzoni, M.
—;Manelli, A.; Ronga, M.; Raspanti, M.; Grassi, F. A.: Histology and ultrastructure of a tissue-engineered collagen meniscus before and after implantation, 808

Reich, S. M.
—;Wichmann, M.; Frankenberger, R.; Zajc, D.: Effect of surface treatment on the shear bond strength of three resin cements to a machinable feldspatic ceramic, 740

Reis, R. L. See Oliveira, A. L., 560

Rleder, W. See Seitz, H., 782

Rodríguez, M. See Bellón, J. M., 718

Román, J. S. See Oliveira, A. L., 560

Ronga, M. See Reguzzoni, M., 808

Saimi, Y. See Suzuki, S., 547

Salacinski, H. J. See Kannan, R. Y., 570

Salo, J. See Mandelin, J., 582

Sano, H. See Hashimoto, M., 699

Santavirta, S. See Mandelin, J., 582

Saravanapavan, P. See Christodoulou, I., 529

Satsangi, N.
—;Rawls, H. R.; Norling, B. K.: Synthesis of low-shrinkage polymerizable methacrylate liquid-crystal monomers, 706

Scarano, A. See Orsini, G., 448

Schell, H. See Partale, K., 608

Schiller, R. See Partale, K., 608

Schmidmaier, G. See Partale, K., 608

Schopper, C.
—;Ziya-Ghazvini, F.; Goriwoda, W.; Moser, D.; Wanschitz, F.; Spassova, E.; Lagogiannis, G.; Auterith, A.; Ewers, R.: HA/TCP compounding of a porous CaP biomaterial improves bone formation and scaffold degradation—a long-term histological study, 458

Schroeder, W. F. See Vallo, C. I., 676

Seifalian, A. M. See Kannan, R. Y., 570

Seitz, H.
—;Rleder, W.; Irsen, S.; Leukers, B.; Tille, C.: Three-dimensional printing of porous ceramic scaffolds for bone tissue engineering, 782

Senawongse, P. See Belli, S., 665

Serrano, N. See Bellón, J. M., 718

Shim, H.-M. See Oh, K.-T., 649

Shimizu, K. See Fujita, H., 419

Shindo, Y. See Higuchi, A., 511

Sideridou, I. D.
—;Achilias, D. S.: Elution study of unreacted Bis-GMA, TEGDMA, UDMA, and bis-EMA from light-cured dental resins and resin composites using HPLC, 617

Son, H.-H. See Bae, J.-H., 822

Spassova, E. See Schopper, C., 458

Sterzenbach, G. See Naumann, M., 829

Steven, G. P. See Li, W., 520

Stickler, D. See Price, C. L., 481

Stoehr, H. G. See Bergmeister, H., 495

Stolk, J. See Janssen, D., 747

Strocchi, R. See Traini, T., 538

Sumner, D. R. See De Ranieri, A., 712

Super, B. J. See Drummond, J. L., 669

Suzuki, S.
—;Ori, T.; Saimi, Y.: Effects of filler composition on flexibility of microfilled resin composite, 547

Svehla, M.
—;Morberg, P.; Bruce, W.; Walsh, W. R.: No effect of a type I collagen gel coating in uncemented implant fixation, 423

Swain, M. V. See Li, W., 520

Tagami, J. See Belli, S., 665

Tai, G. See Christodoulou, I., 529

Tamura, K. See Liao, S., 817

Tautenhahn, J. See Ueberrueck, T., 601

Tay, F. R. See Hashimoto, M., 699

Taylor, R. L. See Price, C. L., 481

Tille, C. See Seitz, H., 782

Toral, F. A. L.-D. See Chávez-Delgado, M. E., 589

Traini, T. See Di Iorio, D., 636; Orsini, G., 448
—;Degidi, M.; Strocchi, R.; Caputi, S.; Piattelli, A.: Collagen fiber orientation near dental implants in human bone: Do their organization reflect differences in loading?, 538

Ueberrueck, T.
—;Zippel, R.; Tautenhahn, J.; Gastinger, I.; Lippert, H.; Wahlers, T.: Vascular graft infections: *In vitro* and *in vivo* investigations of a new vascular graft with long-term protection, 601

Um, C.-M. See Bae, J.-H., 822

Umezawa, A. See Higuchi, A., 511

Uo, M. See Liao, S., 817

Uyama, T. See Higuchi, A., 511

Vallo, C. I.
—;Schroeder, W. F.: Properties of acrylic bone cements formulated with Bis-GMA, 676

Verdonschot, N. See Janssen, D., 747

Verran, J. See Price, C. L., 481

Virdi, A. S. See De Ranieri, A., 712

Wahlers, T. See Ueberrueck, T., 601

Walsh, W. R. See Svehla, M., 423

Wang, K.-C. See Yang, S.-H., 468

Wang, W. See Liao, S., 817

Wang, X. See Zhao, X., 774

Wang, Y. See Pan, J., 476

Wanschitz, F. See Schopper, C., 458

Watari, F. See Liao, S., 817

Waters, M. G. J. See Price, C. L., 481

Wichmann, M. See Reich, S. M., 740

Wiedmann-Al-Ahmad, M. See Otten, J.-E., 627

Wildemann, B. See Partale, K., 608

Williams, D. W. See Price, C. L., 481

Wolner, E. See Bergmeister, H., 495

Yang, S.-H.
—;Chen, P.-Q.; Chen, Y.-F.; Lin, F.-H.: Gelatin/chondroitin-6-sulfate copolymer scaffold for culturing human nucleus pulposus cells *in vitro* with production of extracellular matrix, 488

—;Hsu, C.-K.; Wang, K.-C.; Hou, S.-M.; Lin, F.-H.: Tricalcium phosphate and glutaraldehyde crosslinked gelatin incorporating bone morphogenetic protein—a viable scaffold for bone tissue engineering, 468

Zajc, D. See Reich, S. M., 740

Zhang, B. See Pan, J., 476

Zhao, X.

—;Kalliomäki, S.; Wang, X.; Kalliomäki, J.; Andersson, R.: Angiogenesis, endothelial cell functions, and tumor cell growth in biodegradable and nonbiodegradable devices, 774

Zilberman, M.

—;Nelson, K. D.; Eberhart, R. C.: Mechanical properties and *in vitro* degradation of bioresorbable fibers and expandable fiber-based stents, 792

Zippel, R. See Ueberrueck, T., 601

Ziya-Ghazvini, F. See Schopper, C., 458

Journal of Biomedical Materials Research (Applied Biomaterials) Subject index—Volume 74B

Adherence, 481
Adhesion, 718, 740, 774, 822, 829
Air evaporation, 699
Alumina ceramics, 754
Angiogenesis, 504, 774
Animal model, 423
Antimicrobial, 601
Antimicrobial activity, 760
Antioxidants, 768

β-Radiation, 560
Bacillus stearothermophilus spores, 553
Bacterial colonization, 627
Bioactive particles, 529
Biodegradable polylactide coatings, 608
Biofilm, 627
Biomaterials, 511
Biomimetic, 686, 817
Bio-Oss® particles, 448
Bioresorbable, 458, 792
Birefringence, 538
Blood-clot stabilization, 636
Bone, 582
Bone cement, 643, 676, 732, 747
Bone healing, 636
Bone ingrowth, 423
Bone morphogenetic proteins, 468
Bone regeneration, 712
Bone remodeling, 458
Bone tissue engineering, 782

CAD, 520
Calcium phosphate(s), 458
Candida, 481
Carbonated hydroxyapatite, 817
Caries models, 725
Cell adhesion, 636
Cell culture, 582
Cell–material interactions, 429
Cell separation, 511
Cement, 419
Ceramic, 740
Chitosan, 589
Chitosan scaffold, 659
Circularly polarized light, 538
Clinical results, 754
Collagen, 423, 808
Collagen fiber orientation, 538
Composite, 547, 718
Controlled release, 504
Corrosion resistance, 649
Crosslinking, 800
Crystallinity, 800
CT scan, 520
Cyclooxygenase-2, 768
Cytotoxicity, 649, 768

Dacron®, 570
DCPD–CaO-based hydraulic calcium phosphate cement, 760
Decellularized matrix, 495
Degradation, 458
Degree of conversion (polymerization), 706
Dental biomaterials, 520
Dental bridge, 520
Dental implants, 538
Dental material, 649
Dental resins, 617, 706
Dental restorative materials, 706
Dextran, 504
3D printing, 782
Drug delivery, 589
Drug release, 686
Dynamic mechanical analysis (DMA), 560

Electron microscopy, 448
Elution, 617
Encapsulated cells, 429
Endothelial function, 774
ePTFE, 570
External fixator, 608
Extracellular matrix, 808

Facial nerve repairment, 589
Fatigue, 747
Fetal osteoblasts, 529
Fibrin scaffold, 636
Fibroblasts, 429
Finite element, 520
Finite element analysis, 665, 732, 747
Flow cytometry, 511
Fluoride, 725
Formaldehyde, 768
Fracture, 676
Fracture interface, 669
Fracture resistance, 829
FTIR, 643

Gamma radiation, 800
Gelatin, 468, 686
Gelatin/chondroitin copolymer scaffold, 488
Gene expression, 529
Glutaraldehyde, 468
Graft, 789
Grafting reaction, 476
Growth factor, 504
Guided tissue regeneration, 589

Heat treatment, 800
Hexanediamine, 476
Histology, 458
HPLC, 617
Humans, 448
Hybrid layer, 665
Hydrogel, 504
Hydroxyapatite, 686, 782

Implant fixation, 712
Implant surface, 636
Inlay, 665
Intervertebral disc, 488
Intramedullary plug, 419
Intraoral pathogens, 627
Ionic dissolution, 529
Irrigation, 712

Laser perforation, 495
Liquid-crystal monomers, 706
Loading, 665
Long period, 800
Loosening, 582

Maleic anhydride, 476
Mechanical properties, 429, 649, 676, 792
Mechanical strength, 547
Mesenchymal progenitor cells, 511
Methyl methacrylate, 643
Micro computed tomography, 712
Microtensile bond strength, 822
Microvessel, 570
Migration, 774
Mineralized collagen, 817
Modification, 800

N-acetyl-L-cysteine, 768
Nanocomposite, 686
Neointima differentiation, 495
Nerve conduits, 659
Nerve guide, 589
Nerve regeneration, 659
Nucleus pulposus, 488

Osmosis, 699
Osteoblasts, 468
Osteoclast, 608

Peptide-modified materials, 440
Permeability, 429
pH cycling, 725
Phosphoric acid methacrylates, 740
Pin track infections, 608
Polydioxanone, 792
Poly (D,L-lactic acid), 476
Poly(D,L-lactide-*co*-glycolide (PLGA), 659
Polyethylene, 754
Poly(L-lactic acid), 792
Polymer, 570, 676, 822
Polymerization, 699
Polymerization shrinkage, 706
Polymers, 589
Poly (methyl methacrylate), 643
Polypropylene, 570
Polyurethane, 570
Polyurethane foaming membrane, 511
Porosity, 747
Porous, 808
Porous scaffold, 686
Post and core, 829
Pregnenolone, 589
Prepolymerized filler, 547
Pressurization, 419
Progesterone, 589
Proliferation, 774
Properties of adhesive layer, 822
Prosthesis, 570, 718

Radio-frequency plasma processes, 553
Rapid prototyping, 782
Rat, 712
Remodeling, 495, 608
Residual double bonds, 547
Residual monomers, 617
Resin adhesive, 699
Resin cement, 740
Resin composites, 617
Revision, 419
Root canal, 829
Root canal filling, 760

Scaffolds, 782, 808
Secondary caries, 725
Shear bond strength, 740
Sheep, 495
Silicone rubber, 481
Small-diameter vascular prostheses, 495
Soft tissue, 718
Sol–gel, 529
Sporicidal effect, 553
Standardization, 829
Starch-based biodegradable polymers, 560
Stents, 792
Sterilization, 440, 560
Streptococcus mutans, 725
Stress shielding, 732
Surface chemistry, 481
Sustained release, 601
Suture material, 627
Sutures, 789

Tendon attachment, 789
Tendon repair, 789
Tightness, 760
Tissue engineering, 488, 774, 808
Titanium, 732
Titanium–silver alloy, 649
Total joint replacement, 582
Total knee arthroplasty, 419
Total knee prosthesis, 754
Transportation, 774
Tricalcium phosphate, 468
Tumor cells, 774

UHMWPE, 800
Ultraviolet irradiation, 440

Vascular graft, 570, 601
Viscosity, 676, 822

Water permeability, 699
Wear, 754
Wound healing, 718

X-ray tomography, 669

ZOE-based root canal sealers, 768

JOURNAL OF
BIOMEDICAL
MATERIALS
RESEARCH
PART B: APPLIED BIOMATERIALS
Volume 74B Contents 2005

Contents

July 2005
Volume 74B
Number 1

419 Novel Intramedullary Plug with Sliding Mechanism Used in Revision Total Knee Arthroplasty
H. Fujita, T. Kitaori, H. Iida, K. Shimizu, Y. Hiroshima, K. Kawanabe, and T. Nakamura
Published online 20 May 2005

423 No Effect of a Type I Collagen Gel Coating in Uncemented Implant fixation
M. Svehla, P. Morberg, W. Bruce, and W.R. Walsh
Published online 11 May 2005

429 Biocompatible Oligochitosans as Cationic Modifiers of Alginate/Ca Microcapsules
G. Orive, A. Bartkowiak, S. Lisiecki, M. De Castro, R. M. Hernández, A. R. Gascòn, and J. L. Pedraz
Published online 20 May 2005

440 Analysis of Sterilization Protocols for Peptide-Modified Hydrogels
Nathaniel Huebsch, Michele Gilbert, and Kevin E. Healy
Published online 11 May 2005

448 Maxillary Sinus Augmentation with Bio-Oss® Particles: A Light, Scanning, and Transmission Electron Microscopy Study in Man
Giovanna Orsini, Tonino Traini, Antonio Scarano, Marco Degidi, Vittoria Perrotti, Marcello Piccirilli, and Adriano Piattelli
Published online 11 May 2005

458 HA/TCP Compounding of a Porous CaP Biomaterial Improves Bone Formation and Scaffold Degradation—A Long-Term Histological Study
Christian Schopper, Farzad Ziya-Ghazvini, Walter Goriwoda, Doris Moser, Felix Wanschitz, Else Spassova, Georgios Lagogiannis, Alexandra Auterith, and Rolf Ewers
Published online 23 May 2005

468 Tricalcium Phosphate and Glutaraldehyde Crosslinked Gelatin Incorporating Bone Morphogenetic Protein—A Viable Scaffold for Bone Tissue Engineering
Shu-Hua Yang, Chung-King Hsu, Kuo-Cheng Wang, Sheng-Mou Hou, and Feng-Huei Lin
Published online 11 May 2005

476 Grafting Reaction of Poly(D,L)lactic acid with Maleic Anhydride and Hexanediamine to Introduce More Reactive Groups in Its Bulk
Jun Pan, Yuanliang Wang, Suhua Qin, Bingbing Zhang, and Yanfeng Luo
Published online 11 May 2005

481 Reduced Adherence of *Candida* to Silane-Treated Silicone Rubber
C. L. Price, D. W. Williams, M. G. J. Waters, L. Coulthwaite, J. Verran, R. L. Taylor, D. Stickler, and M. A. O. Lewis
Published online 19 May 2005

488 Gelatin/Chondroitin-6-Sulfate Copolymer Scaffold for Culturing Human Nucleus Pulposus Cells *In Vitro* with Production of Extracellular Matrix
Shu-Hua Yang, Po-Quang Chen, Yi-Fang Chen, and Feng-Huei Lin
Published online 23 May 2005

495 Effect of Laser Perforation on the Remodeling of Acellular Matrix Grafts
Helga Bergmeister, Peter Boeck, Marie-Theres Kasimir, Tatjana Fleck, Florian Fitzal, Wolfgang Husinsky, Martina Mittlboeck, Hans Georg Stoehr, Udo Losert, Ernst Wolner, and Martin Grabenwoeger
Published online 23 May 2005

504 Controlled Release of EGF and bFGF from Dextran Hydrogels *In Vitro* and *In Vivo*
Alper K. Doğan, Menemşe Gümüşderelioğlu, and Erol Aksöz
Published online 20 May 2005

511 Cell Separation Between Mesenchymal Progenitor Cells Through Porous Polymeric Membranes
Akon Higuchi, Yosuke Shindo, Yumiko Gomei, Taisuke Mori, Taro Uyama, and Akihiro Umezawa
Published online 19 May 2005

520 Towards Automated 3D Finite Element Modeling of Direct Fiber Reinforced Composite Dental Bridge
Wei Li, Michael V. Swain, Qing Li, and Grant P. Steven
Published online 23 May 2005

529 Dose- and Time-Dependent Effect of Bioactive Gel-Glass Ionic-Dissolution Products on Human Fetal Osteoblast-Specific Gene Expression
Ioannis Christodoulou, Lee D. K. Buttery, Priya Saravanapavan, Guangping Tai, Larry L. Hench, and Julia M. Polak
Published online 11 May 2005

538 Collagen Fiber Orientation Near Dental Implants in Human Bone: Do Their Organization Reflect Differences in Loading?
Tonino Traini, Marco Degidi, Rita Strocchi, Sergio Caputi, and Adriano Piattelli
Published online 11 May 2005

547 Effects of Filler Composition on Flexibility of Microfilled Resin Composite
S. Suzuki, T. Ori, and Y. Saimi
Published online 3 March 2005

553 The Dependence of the Sporicidal Effects on the Power and Pressure of RF-Generated Plasma Processes
Klaus S. Lassen, Bolette Nordby, and Reinar Grün
Published online 11 March 2005

560 Study of the Influence of β-Radiation on the Properties and Mineralization of Different Starch-Based Biomaterials
A. L. Oliveira, J. F. Mano, J. San Román, and R. L. Reis
Published online 19 May 2005

570 Current Status of Prosthetic Bypass Grafts: A Review
Ruben Y. Kannan, Henryk J. Salacinski, Peter E. Butler, George Hamilton, and Alexander M. Seifalian
Published online 11 May 2005

582 Pseudosynovial Fluid from Loosened Total Hip Prosthesis Induces Osteoclast Formation
Jami Mandelin, Mikko Liljeström, Tian-Fang Li, Mari Ainola, Mika Hukkanen, Jari Salo, Seppo Santavirta, and Yrjö T. Konttinen
Published online 14 March 2005

589 Ultrastructural Analysis of Guided Nerve Regeneration Using Progesterone- and Pregnenolone-Loaded Chitosan Prostheses
M. E. Chávez-Delgado, U. Gomez-Pinedo, A. Feria-Velasco, M. Huerta-Viera, S. Castro Castañeda, F. A. López-Dellamary Toral, A. Parducz, S. Luquín-De Anda, J. Mora-Galindo, and J. García-Estrada
Published online 25 March 2005

601 Vascular Graft Infections: *In Vitro* and *In Vivo* Investigations of a New Vascular Graft with Long-Term Protection
Torsten Ueberrueck, Roland Zippel, Joerg Tautenhahn, Ingo Gastinger, Hans Lippert, and Thorsten Wahlers
Published online 20 May 2005

608 Poly(D,L-lactide) Coating is Capable of Enhancing Osseous Integration of Schanz Screws in the Absence of Infection
K. Partale, P. Klein, H. Schell, G. Schmidmaier, B. Wildemann, H. Bail, R. Schiller, H. Bragulla, and G.N. Duda
Published online 20 May 2005

617 Elution Study of Unreacted Bis-GMA, TEGDMA, UDMA, and Bis-EMA from Light-Cured Dental Resins and Resin Composites Using HPLC
Irini D. Sideridou and Dimitris S. Achilias
Published online 11 May 2005

627 Bacterial Colonization on Different Suture Materials—A Potential Risk for Intraoral Dentoalveolar Surgery
J.-E. Otten, M. Wiedmann-Al-Ahmad, H. Jahnke, and K. Pelz
Published online 11 May 2005

636 Quantitative Evaluation of the Fibrin Clot Extension on Different Implant Surfaces: An *In Vitro* Study
Donato Di Iorio, Tonino Traini, Marco Degidi, Sergio Caputi, Joerg Neugebauer, and Adriano Piattelli
Published online 31 March 2005

643 Quantitative Analysis of Monomer Vapor Release from Two-Solution Bone Cement by Using a Novel FTIR Technique
Imad K. Merkhan, Julie M. Hasenwinkel, and Jeremy L. Gilbert
Published online 19 May 2005

649 Properties of Titanium–Silver Alloys for Dental Application
Keun-Taek Oh, Hyung-Min Shim, and Kyoung-Nam Kim
Published online 1 April 2005

659 Manufacture of Porous Polymer Nerve Conduits through a Lyophilizing and Wire-Heating Process
Yi-Cheng Huang, Yi-You Huang, Chun-Chieh Huang, and Hwa-Chang Liu
Published online 20 May 2005

August 2005
Volume 74B
Number 2

665 Effect of Hybrid Layer on Stress Distribution in a Premolar Tooth Restored with Composite or Ceramic Inlay: An FEM Study
Sema Belli, Gürcan Eskitaşcıoğlu, Oğuz Eraslan, Pisol Senawongse, and Junji Tagami
Published online 22 June 2005

669 Three-Dimensional Tomography of Composite Fracture Surfaces
James L. Drummond, Francesco De Carlo, and Boaz J. Super
Published online 24 June 2005

676 Properties of Acrylic Bone Cements Formulated with Bis-GMA
Claudia I. Vallo and Walter F. Schroeder
Published online 13 June 2005

686 Porous Scaffolds of Gelatin–Hydroxyapatite Nanocomposites Obtained by Biomimetic Approach: Characterization and Antibiotic Drug Release
Hae-Won Kim, Jonathan C. Knowles, and Hyoun-Ee Kim
Published online 29 June 2005

699 Permeability of Adhesive Resin Films
Masanori Hashimoto, Franklin R. Tay, Shuichi Ito, Hidehiko Sano, Masayuki Kaga, and David H. Pashley
Published online 22 June 2005

706 Synthesis of Low-Shrinkage Polymerizable Methacrylate Liquid-Crystal Monomers
Neera Satsangi, H. Ralph Rawls, and Barry K. Norling
Published online 30 June 2005

712 Saline Irrigation Does Not Affect Bone Formation or Fixation Strength of Hydroxyapatite/Tricalcium Phosphate-Coated Implants in a Rat Model
A. De Ranieri, A. S. Virdi, S. Kuroda, K. E. Healy, N. J. Hallab, and D. R. Sumner
Published online 29 June 2005

718 Composite Prostheses Used To Repair Abdominal Wall Defects: Physical or Chemical Adhesion Barriers?
J. M. Bellón, N. Serrano, M. Rodríguez, N. García-Honduvilla, G. Pascual, and J. Buján
Published online 24 June 2005

725 Chemical or Microbiological Models of Secondary Caries Development Around Different Dental Restorative Materials
Maristela M. Lobo, Reginaldo B. Gonçalves, Gláucia Maria B. Ambrosano, and Luiz André F. Pimenta
Published online 30 June 2005

732 Comparison of One-Dimensional and Two-Dimensional Functionally Graded Materials for the Backing Shell of the Cemented Acetabular Cup
H. S. Hedia
Published online 2 June 2005

740 Effect of Surface Treatment on the Shear Bond Strength of Three Resin Cements to a Machinable Feldspatic Ceramic
Sven M. Reich, Manfred Wichmann, Roland Frankenberger, and Dorothea Zajc
Published online 22 June 2005

747 The Contradictory Effects of Pores on Fatigue Cracking of Bone Cement
Dennis Janssen, René Aquarius, Jan Stolk, and Nico Verdonschot
Published online 24 June 2005

754 Change in UHMWPE Properties of Retrieved Ceramic Total Knee Prosthesis in Clinical Use for 23 Years
Hironobu Oonishi, Sok Chol Kim, Masayuki Kyomoto, Shingo Masuda, Taiyo Asano, and Ian C. Clarke
Published online 30 June 2005

760 Antimicrobial Activity and Tightness of a DCPD–CaO-Based Hydraulic Calcium Phosphate Cement for Root Canal Filling
Pierre Michaïlesco, Michel Kouassi, Hasna El Briak, Anne Armynot, and Philippe Boudeville
Published online 24 June 2005

768 Protective Effect of NAC on Formaldehyde-Containing–ZOE-Based Root-Canal-Sealers–Induced Cyclooxygenase-2 Expression and Cytotoxicity in Human Osteoblastic Cells
Fu-Mei Huang, Lin Shin-Shen Chou, Ming-Yung Chou, and Yu-Chao Chang
Published online 2 June 2005

774 Angiogenesis, Endothelial Cell Functions, and Tumor Cell Growth in Biodegradable and Nonbiodegradable Devices
Xia Zhao, Suzanne Kalliomäki, Xiangdong Wang, Jacob Kalliomäki, and Roland Andersson
Published online 29 June 2005

782 Three-Dimensional Printing of Porous Ceramic Scaffolds for Bone Tissue Engineering
Hermann Seitz, Wolfgang Rieder, Stephan Irsen, Barbara Leukers, and Carsten Tille
Published online 24 June 2005

789 The Role of Graft Materials in Suture Augmentation for Tendon Repairs and Reattachment
Frederick J. Kummer and Kazuho Iesaka
Published online 24 June 2005

792 Mechanical Properties and *In Vitro* Degradation of Bioresorbable Fibers and Expandable Fiber-Based Stents
Meital Zilberman, Kevin D. Nelson, and Robert C. Eberhart
Published online 30 June 2005

800 Structure Modification of UHMWPE Used for Total Joint Replacements
Martina Nevoralová, Josef Baldrian, Jan Pospíšil, Ivan Chodák, and Zdeněk Horák
Published online 30 June 2005

808 Histology and Ultrastructure of a Tissue-Engineered Collagen Meniscus Before and After Implantation
Marcella Reguzzoni, Alessandro Manelli, Mario Ronga, Mario Raspanti, and Federico A. Grassi
Published online 24 June 2005

817 The Preparation and Characteristics of a Carbonated Hydroxyapatite/Collagen Composite at Room Temperature
Susan Liao, Fumio Watari, Motohiro Uo, Shoji Ohkawa, Kazuchika Tamura, Wei Wang, and Fuzhai Cui
Published online 24 June 2005

822 Adhesive Layer Properties as a Determinant of Dentin Bond Strength
Ji-Hyun Bae, Byeong-Hoon Cho, Jong-Soon Kim, Min-Soo Kim, In-Bog Lee, Ho-Hyun Son, Chung-Moon Um, Chang-Keun Kim, and Oh-Young Kim
Published online 30 June 2005

829 Evaluation of Load Testing of Postendodontic Restorations *In Vitro*: Linear Compressive Loading, Gradual Cycling Loading and Chewing Simulation
Michael Naumann, Guido Sterzenbach, and Peter Pröschel
Published online 30 June 2005

836 Author Index to Volume 74B

840 Subject Index to Volume 74B

I Volume 74B Contents